


# C-IDK1107WR

## 7.0" WVGA Intelligent Display kits

NEW



### Features

- 7" LCD support 800X480 resolutions.
- Brightness of 400 nits with LED backlight.
- 4-wire resistive touch solution.
- High contrast ratio of 1000:1
- Wide Viewing Angle: 80/80/80/80.
- High uniformity of 80%
- LVDS signal interface.
- Low power consumption 3.7w (panel only)
- Built in LED driver board
- USB Touch Controller.

### Introduction


The Advantech C-IDK1107WR series come with a 7" industrial grade LCD panel with 4-wire resistive touch. C-IDK1107WR has low power consumption (< 4 W typical), high contrast ratio (1000:1), high screen brightness (400 nits), wide operating temp (-20 to 70 C) and good product longevity support (3 years). C-IDK1107WR series is ideal for embedded applications that give customers maximum flexibility for mechanical design.

### Specifications

LCD Panel	Display Size	7" LED backlight Panel (WSVGA)
	Resolution	800 x 480
	Viewing Angle (U/D/L/R)	80°/80°(H), 80° /80°(V)
	Brightness	400 (cd/m <sup>2</sup> )
	Backlight Life (hrs)	50,000 (Hrs)
	Contrast Ratio	1000:1
	Response Time (ms)	30 ms
	Colors Support	6 Bit (262K) / 8 Bit (16.2M)
	Voltage	3.3v Power
	Consumption	3.7W (Typical)
	Signal Interface	1 channel LVDS
	Weight	305 g
	Dimensions (W x H x D)	170 x 111 x 7.5 mm
Touch Screen	Touch Screen	4-wire resistive
	Transparency	82%
	Surface Hardness	3H
Environment	Operating Temperature	LCD: (-30 – 85) Touch Screen: (-20 – 70) Controller Board: (-25 – 85)
	Storage Temperature	LCD: (-30 – 85) Touch Screen: (-40 – 80) Controller Board: (-25 – 85)

## Dimensions

Unit: mm



## Packing List

Part Number	Description
1700020324-01	1x USB Touch cable
ETM-RES05C-EEH4EE	Touch Controller

Note: Package contents are subject to change without prior notice

## Ordering Information

Model Name	Description
C-IDK1107WR40WV-01	7" 800X480 Resistive Touch LCD

## Optional Order for C-IDK110WP30WX-01

SBC Part No:	LVDS cable	Backlight cable
MIO-5290	96CB-L2040PAB4	96CB-E0405PAB3
AIMB-274	96CB-L2040PAB4	96CB-E0405PAB3
MIO-2263	96CB-L2014PABA	96CB-E0405PABA

## Product Contact Information:

### Advantech Corp

13 Whatney

Irvine, CA. 92618

Toll free: 800-866-6008 Tel: 959-420-2500

[www.Advantech.com](http://www.Advantech.com)

Email: [ecginfo@advantech.com](mailto:ecginfo@advantech.com)

Product packing dimension: 250L x 100W x 200H (mm), 0.19 (kg)



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

