stor TSP800Rx



- Ultra Fast 37 Prescriptions Per Minute (180mm/s)
- Locking Paper Chamber Deters Theft
- No Consumables Except Paper
- Quiet (55bB)
- No Warm Up Time Needed
- Kensington Lock Slot for Locking Cable Harness
- "Drop-In & Print" Clamshell Design
- Extra Small Footprint: 7"x 8"



Locking Paper Chamber



Drop-In & Print Paper Loading

Prescription Printer Star Micronics has the solution to print thermal prescriptions using its secured locking TSP800Rx Printer. Answering the requests from hospitals and physicians to efficiently automate the prescription

High-Speed, Secured

Star Micronics has the solution to print thermal prescriptions using its secured locking TSP800Rx Printer. Answering the requests from hospitals and physicians to efficiently automate the prescription process and make it simple is the cure from Star. The Secured TSP800Rx printer enables doctors to print thermal prescriptions vs. handwritten prescriptions from a pad avoiding legibility errors. Utilizing specialized and secured thermal prescription paper, the prescriptions are printed using the latest electronic medical record (EMR) software in the industry, resulting in a secured legible script in seconds.

No more messy ribbon replacements, the Secured TSP800Rx features simple and easy "Drop-In" secured thermal prescription paper, the sole consumable.

Secured Locking TSP800Rx

Available in Serial, Parallel, USB and Ethernet Interfaces


- "Locking" Feature Secures Rx Paper Roll from being taken from the printer without authorization
- Kensington Lock Slot

Fast, Silent Printing

The Secured TSP800Rx prints faster than a laser printer, produces output that is clearer than an inkjet printer and it is smaller than a shoe box, a true space saver.

In addition, the Secured TSP800Rx will only print what you need, saving you time and money with your printer consumables.

Visit www.starmicronics.com to learn more.



Lock Slot for Locking Cable Harness



Disabled Paper Feed Button













TSP800Rx Specifications

	The Ultimate Prescription Solution	
Features	Hardware Ultra Fast 37 Prescriptions Per Minute (180mm/s) Locking Paper Chamber Lock Slot for Locking Cable Harness Disabled Paper Feed Button "Drop-In & Print" Clamshell Design Small Footprint Jam Proof, Patented Cutter with Full or Partial Cut Swappable Communication Interfaces Rear Feed Slot Available for Large Paper Roll Horizontal & Vertical Use	Software Zoom Raster Driver Allows Letter-Sized Documents to be Printed in 4.4" Format Logo Utility (Store Logos, Coupons, and Graphics) Automatic Second Copy with Raster Driver Ethernet / WiFi Interface Setup Utilities StarlO SDK
Connectivity Note: Connections in bold are supported; grayed-out connection types may be supported by special request.	9-Pin Serial 25-Pin Serial Parallel USB Powered USB Ethernet WiFi Dual 9-Pin Serial/USB	Virtual Serial Port to USB Virtual Serial Port to Ethernet Virtual TCP/IP Port
Drivers	Windows® XP Vista (32 bit / 64 bit) Windows 7 (32 bit / 64 bit) Server 2008 (32 bit / 64 bit) CE XP Embedded POS for .NET Scalable Raster Driver	OPOS™ JavaPOS™ USB Vendor Class Linux™ CUPS Mac OS X CUPS
What's Included	Gray TSP847 with Locking Mechanism Power Supply (PS60A) Installation CD Sample Voided Prescription Paper Roll	
Optional Accessories	Wall Mount Kit (WB-T800) Vertical Stand Kit (VS-T800) Ticket Alarm Buzzer (BU01-24-A)	PDF417 Barcode Printing
Technical Specifications	Print Method: Direct Thermal Print Speed: 180mm/s (37 Prescriptions Per Minute) Paper Width: 112mm Paper Thickness: 0.06 - 0.15mm Paper Diameter: Max 100mm Emulation: Star Line Mode, Star Page Mode, DP8340 Mode, ESC/POS™	Power: 24VDC Resolution: 203 dpi MCBF: 37 Million Lines Cutter: 2 Million Cuts Dimensions: W=180mm, H=148mm, D=213mm
Warranty	For US and Canada: 3-Year Limited Warranty, Plus Optional Extende	ed Services Agreement Policies (Extend-A-Star and Swap-A-Star)
For Further Information	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: http://www.starmicronics.com



8/6/10



www.L-TronDirect.com 800-830-9523 info@L-Tron.com

