SÜMIT **ISP100** future PRNT



- All Accessories Included in the Box
- High Speed Throughput 22RPM*
- Internal Power Supply
- Windows[®], Linux[™] and Mac OS X Drivers Included
- Revolutionary future PRNT Software Included
- Certified by Major POS Software Providers









Splash Proof Cover













Everything and More in a POS Printer

The low-cost, high-quality thermal POS printer available today with ALL accessories and software included.

The TSP100 future PRNT, the first all-in-one receipt printer. Yes, all the parts and software are included in one box. To get you setup quickly, we've included an internal power supply, interface and power cables, complete mounting kits and a paper roll.

To bring you the future of receipt printing now, we're also including a full set of software utilities. Redesign your receipt without modifying your application. Add your logo. Add coupons. Preview receipts and enhance bar codes. Included operating system drivers allow for 'Plug & Play' automatic installation.

But setup is not the only fast part. The TSP100 future PRNT is a fast printer. So reset your expectations. Demand everything from your receipt printer.

*RPM: Receipts Per Minute Visit www.futurePRNT.com/en/performance to learn more.







Vertical Stand







Wall Mount

TSP100 futurePRNT Specifications

	The Complete POS Solution!	
Features	Hardware You really can have it all! All in ONE Box (All Accessories Needed Are Included with the Printer) Fast, 22RPM Ultra Reliable Embedded Power Supply Light Weight Small Footprint 2-Color Capable CD with Auto-Install Drivers futurePRNT Receipt Redesign Software Included Digitally Signed Driver (WHQL)	Software The Included Receipt Redesign Software Allows You to EASILY: Add Images (Logos, Coupons, Merge Images, and more!) Enhance Barcodes Add Key Words to Trigger Coupons or Vouchers Replace Text Create a Virtual Serial Port for Legacy Applications Keep an Electronic Record of All Transactions Preview the Receipt Design Before Printing to Save Paper Develop Applications Quickly with the StarlO SDK
Connectivity New Connections in bold are supported; grayed-out connection types may be supported by special request.	9-Pin Serial 25-Pin Serial Parallel USB Powered USB Ethernet WiFi Dual 9-Pin Serial/USB	Virtual Serial Port to USB Virtual Serial Port to Ethernet Virtual TCP/IP Port
Drivers	Windows® XP Vista (32 bit / 64 bit) Windows 7 (32 bit / 64 bit) Server 2008 (32 bit / 64 bit) CE XP Embedded POS for .NET	OPOS™ JavaPOS™ USB Vendor Class Linux™ CUPS Mac OS X CUPS
What's Included	Full Speed USB Interface Cable, PUSB Cable, or Ethernet Cable 6ft Power Cord Virtual Serial Port Wall Mount Kit 58mm Guide Vertical Mount Kit	Power Switch Cover Embedded Power Supply CD w/ Drivers Paper Roll Software Solutions Setup Guide
Optional Accessories	Ticket Alarm Vertical Stand Kit Splash Proof Cover	Choice of Putty or Gray Color Housing Choice of Tear Bar (TSP113) or Auto Cutter (TSP143) Models
Technical Specifications	Print Method: Direct Thermal Print Speed: 125mm/s (22 Receipts Per Minute) Paper Width: 80mm / 58mm Paper Thickness: 0.06 – 0.08mm Paper Diameter: Max 83mm Emulation: Star Line Mode, ESC/POS™	Power: DC120V Resolution: 203 dpi MCBF: 60 Million Lines Cutter: 1 Million Cuts Dimensions: W=142mm, H=132mm, D=204mm
Warranty	For US and Canada: 3-Year Limited Warranty, Plus Optional Extended Services Agreement Policies (Extend-A-Star and Swap-A-Star)	
For Further Information	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: http://www.futureprnt.com or http://www.starmicronics.com





www.L-TronDirect.com 800-830-9523 info@L-Tron.com

