

Dust Protected & Splash Proof Three Inch, Portable Printer

Ideal for the ever growing field service/portable industry, the SM-T300 is ideal for workers requiring handhelds to seamlessly print to a portable printer.

Its rugged and splash proof design coupled with a long battery life makes the SM-T300 a welcomed option for applications in harsh outdoor environments, such as service & delivery, public safety and utilities.

In addition to easy drop in & print paper loading and a print speed of 75mm per second, the SM-T300 also features an LCD display, magnetic stripe reader and comes standard with Serial and Bluetooth connections.

Included with the printer:

- AC Charger
- Belt Clip
- Battery Pack
- Sample Paper Roll
- Serial Cable





- 3 Inch Ultra Durable Portable Printer
- Dust Protected, Splash Proof (IP54 Certified)
- High Speed: 75mm/sec
- Long Battery Life
- Bluetooth 2.1 / Serial Connections Available
- Magnetic Stripe Reader
- LCD Display



Durable Case



LCD Display



Compact Design



Belt Clip Included

















SM-T300 Specifications

	Dust Protected & Splash Proof Three Inch Portable Printer	
Features	Hardware 3-Inch Ultra Durable Portable Printer Small and Light Weight Rugged Design Long-Lasting Battery Life Dust Protected, Splash Proof (IP54 Certified) LCD Display Standard and 2D Barcode Support Bluetooth Connection Magnetic Stripe Reader Configurable Friendly Auto Power Down Mode Cover Open Sensor as Standard Black Mark Sensor as Standard (Tickets Only) Drop-In and Print Paper Loading	
Connectivity	Serial Parallel USB Powered USB	Virtual Serial Port to USB Virtual Serial Port to Ethernet
Note: Connections in bold are supported; grayed-out connection types may be supported by special request.	Dual 9-PinSerial/USB Ethernet Bluetooth 2.1 Wireless LAN	
Drivers Note: Drivers in bold are immediately available; grayed-out operating systems may be supported by special request.	Windows 7 32/64 bit Windows Vista 32/64 bit Windows XP Windows XP Embedded Windows CE Windows Mobile Android Blackberry iOS (Wireless LAN Model Only)	Software StarIO SDK Available In: C# VB.NET Visual C++
What's Included	AC Charger Belt Clip Battery Pack Sample Paper Roll Serial Cable	
Optional Accessories	Shoulder Strap Car Charger Extra Battery Pack Extra Battery Charger 4 Unit Battery Charger	
Technical Specifications	Print Method: Direct Thermal Print Speed: 75mm/s Paper Width: 80mm Paper Thickness: 0.060 – 0.070mm Paper Diameter: Max 50mm Black Timing Mark Position: Front Of Paper Battery Life: 8 Hours at 5 Minute Printing Intervals	Without MSR: 5 ft. (1.5m) Drop Test With MSR: 4 ft. (1.2m) Drop Test Power: DC 7.4V Resolution: 203 dpi Mechanical Life: 50km Dimensions: W=120mm, H=58mm, D=131mm Weight: T300: 422g (Including Battery) T301/T302: 429g (Including Battery)
Warranty	1-Year Limited Warranty, FCC Approved (Certified)	
For Further Information	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: http://www.starmicronics.com





www.L-TronDirect.com 800-830-9523 info@L-Tron.com

