

Zebra ZipShip Ribbons



Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

| Zebra Ribbons | | | | | | | | | |
|------------------|-------------------------------|------------------|------|-------------|------------------|--------------------------|------|---------------------|------|
| Wax | | Wax/Resin | | | Resin | | | | |
| 2000 Standard | | 5555 Enhanced | | | 5095 Performance | | | | |
| 2100 Enhanced | | 3200 Performance | | | 5100 Premium | | | | |
| 5319 Performance | | 5586 Premium | | | Image Lock | | | | |
| Ribbon | Material Compatibility | Darkness Setting | | Print Speed | | Smear/Scratch Resistance | | Chemical Resistance | |
| | | Low | High | Low | High | Low | High | Low | High |
| 2000 Standard | Coated Paper | █ | █ | █ | █ | █ | █ | █ | █ |
| 2100 Enhanced | Coated Paper | █ | █ | █ | █ | █ | █ | █ | █ |
| 5319 Performance | Uncoated/Coated Paper | █ | █ | █ | █ | █ | █ | █ | █ |
| 5555 Enhanced | Coated Paper/Matte Synthetics | █ | █ | █ | █ | █ | █ | █ | █ |
| 3200 Performance | Coated Paper/Matte Synthetics | █ | █ | █ | █ | █ | █ | █ | █ |
| 5586 Premium | Matte Synthetics | █ | █ | █ | █ | █ | █ | █ | █ |
| 5095 Performance | Matte/Gloss Synthetics | █ | █ | █ | █ | █ | █ | █ | █ |
| 5100 Premium | Gloss Synthetics | █ | █ | █ | █ | █ | █ | █ | █ |



Printer Ribbon Specifications

| | | Ribbon | | | | | |
|--------------------|-----------------------------------|--------------------------|--------|------------|-----------|-----------|-------|
| | Printer | Core Size | | Max Length | | Max Width | |
| | | | | | | | |
| Tabletop Printers | S600™ | 1" | 25.4mm | 1476' | 450m | 4.5" | 114mm |
| | S4M™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 4.3" | 110mm |
| | Z4MPlus™/ZM400™ | 1" | 25.4mm | 1476' | 450m | 4.3" | 110mm |
| | Z6MPlus™/ZM600™ | 1" | 25.4mm | 1476' | 450m | 6.9" | 174mm |
| | 105SL™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 4.5" | 114mm |
| | 2746e™ | 1" | 25.4mm | 1183' | 362m | 4.3" | 110mm |
| | 110XIIIPlus™ / 110Xi4™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 4.3" | 110mm |
| | 140XIIIPlus™ / 140Xi4™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 5.1" | 130mm |
| | 170XIIIPlus™ / 170Xi4™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 6.7" | 170mm |
| | 220XIIIPlus™ / 220Xi4™ | 1" | 25.4mm | 1476'/984' | 450m/300m | 8.6" | 220mm |
| Desktop Printers | LP 2824™ Series / LP 2824 Plus™ | Direct Thermal | | N/A | N/A | N/A | N/A |
| | TLP 2824™ Series / TLP 2824 Plus™ | 0.5" | 12.7mm | 244' | 74m | 2.2" | 58mm |
| | LP 2844™ Series | Direct Thermal | | N/A | N/A | N/A | N/A |
| | TLP 2844™ | 0.5" | 12.7mm | 242' | 74m | 4.3" | 110mm |
| | TLP 2844-Z™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| | TLP 3842™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| | TLP 3844-Z™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| | H 2824-Z™ | Direct Thermal | | N/A | N/A | N/A | N/A |
| | G-Series™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| Mobile Printers | Cameo® 2 / Cameo® 3 | Direct Thermal | | N/A | N/A | N/A | N/A |
| | QL™ Series / QL Plus™ Series | Direct Thermal | | N/A | N/A | N/A | N/A |
| | MZ™ Series | Direct Thermal | | N/A | N/A | N/A | N/A |
| | RW™ Series / RW420 Print Station | Direct Thermal | | N/A | N/A | N/A | N/A |
| | EM220™ | Direct Thermal | | N/A | N/A | N/A | N/A |
| | PA403™ | Direct Thermal | | N/A | N/A | N/A | N/A |
| | PS 2122™ | Direct Thermal | | N/A | N/A | N/A | N/A |
| | PT400™ / PT403™ | Snap-in ribbon cartridge | | 52' | 16m | 4.3" | 110mm |
| | P4T™ | Snap-in ribbon cartridge | | 98.4' | 30m | 4.3" | 110mm |
| Specialty Printers | R110Xi™ | 1" | 25.4mm | 1476' | 450m | 4.3" | 110mm |
| | R170Xi™ | 1" | 25.4mm | 1476' | 450m | 6.7" | 110mm |
| | R-140™ | 1" | 25.4mm | 1476' | 450m | 5.1" | 110mm |
| | R402™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| | R110PAX3™ | 1" | 25.4mm | 2995' | 900m | 4.3" | 110mm |
| | R2844-Z™ | 0.5" | 12.7mm | 244' | 74m | 4.3" | 110mm |
| | R4Mplus™ | 1" | 25.4mm | 1476' | 450m | 4.3" | 110mm |
| | 110PAX4™ | 1" | 25.4mm | 2995' | 900m | 4.3" | 110mm |
| | 170PAX4™ | 1" | 25.4mm | 2995' | 900m | 7.1" | 180mm |
| | RP4T™ | Snap-in ribbon cartridge | | 98.4' | 30m | 4.3" | 110mm |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

2000 Standard Wax Ribbon

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 24 | 24 | 02000BK04045 | 12 lbs. |
| 2.36" | 60mm | 24 | 24 | 02000BK06045 | 23 lbs. |
| 3.27" | 83mm | 24 | 24 | 02000BK08345 | 24 lbs. |
| 3.50" | 89mm | 24 | 24 | 02000BK08945 | 25 lbs. |
| 4.02" | 102mm | 24 | 24 | 02000BK10245 | 26 lbs. |
| 4.16" | 106mm | 24 | 24 | 02000BK10645 | 30 lbs. |
| 4.33" | 110mm | 24 | 24 | 02000BK11045 | 32 lbs. |
| 5.16" | 131mm | 24 | 24 | 02000BK13145 | 36 lbs. |
| 6.16" | 156mm | 12 | 12 | 02000BK15645 | 24 lbs. |
| 6.85" | 174mm | 12 | 12 | 02000BK17445 | 25 lbs. |
| 8.66" | 220mm | 12 | 12 | 02000BK22045 | 30 lbs. |

2100 Enhanced Wax Ribbon

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 24 | 24 | 02100BK04045 | 14 lbs. |
| 2.36" | 60mm | 24 | 24 | 02100BK06045 | 23 lbs. |
| 3.15" | 80mm | 24 | 24 | 02100BK08045 | 24 lbs. |
| 3.50" | 89mm | 24 | 24 | 02100BK08945 | 25 lbs. |
| 4.02" | 102mm | 24 | 24 | 02100BK10245 | 29 lbs. |
| 4.16" | 106mm | 24 | 24 | 02100BK10645 | 30 lbs. |
| 4.33" | 110mm | 24 | 24 | 02100BK11045 | 31 lbs. |
| 5.16" | 131mm | 12 | 12 | 02100BK13145 | 34 lbs. |
| 6.16" | 156mm | 12 | 12 | 02100BK15645 | 23 lbs. |
| 6.85" | 174mm | 12 | 12 | 02100BK17445 | 25 lbs. |
| 8.66" | 220mm | 12 | 12 | 02100BK22045 | 30 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

5319 Performance Wax Ribbon

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 0.94" | 24mm | 6 | 24 | 05319BK02445 | 14 lbs. |
| 1.57" | 40mm | 6 | 24 | 05319BK04045 | 23 lbs. |
| 2.36" | 60mm | 6 | 24 | 05319BK06045 | 24 lbs. |
| 3.27" | 83mm | 6 | 24 | 05319BK08345 | 24 lbs. |
| 3.50" | 89mm | 6 | 24 | 05319BK08945 | 28 lbs. |
| 4.02" | 102mm | 6 | 24 | 05319BK10245 | 29 lbs. |
| 4.33" | 110mm | 6 | 24 | 05319BK11045 | 30 lbs. |
| 5.16" | 131mm | 6 | 24 | 05319BK13145 | 38 lbs. |
| 6.06" | 154mm | 6 | 12 | 05319BK15445 | 25 lbs. |
| 6.85" | 174mm | 6 | 12 | 05319BK17445 | 27 lbs. |
| 8.66" | 220mm | 6 | 12 | 05319BK22045 | 30 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

5555 Enhanced Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 05555BK04045 | 16 lbs. |
| 2.36" | 60mm | 6 | 24 | 05555BK06045 | 23 lbs. |
| 3.27" | 83mm | 6 | 24 | 05555BK08345 | 22 lbs. |
| 3.50" | 89mm | 6 | 24 | 05555BK08945 | 25 lbs. |
| 4.33" | 110mm | 6 | 24 | 05555BK11045 | 27 lbs. |
| 5.16" | 131mm | 6 | 24 | 05555BK13145 | 34 lbs. |
| 6.06" | 154mm | 6 | 12 | 05555BK15445 | 25 lbs. |
| 6.85" | 174mm | 6 | 12 | 05555BK17445 | 25 lbs. |
| 8.66" | 220mm | 6 | 12 | 05555BK22045 | 27 lbs. |

3200 Performance Wax/Resin Ribbon

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 03200BK04045 | 12 lbs. |
| 2.36" | 60mm | 6 | 24 | 03200BK06045 | 23 lbs. |
| 3.15" | 80mm | 6 | 24 | 03200BK08045 | 24 lbs. |
| 3.50" | 89mm | 6 | 24 | 03200BK08945 | 25 lbs. |
| 4.02" | 102mm | 6 | 24 | 03200BK10245 | 29 lbs. |
| 4.33" | 110mm | 6 | 24 | 03200BK11045 | 32 lbs. |
| 5.16" | 131mm | 6 | 24 | 03200BK13145 | 36 lbs. |
| 6.16" | 156mm | 6 | 12 | 03200BK15645 | 23 lbs. |
| 6.85" | 174mm | 6 | 12 | 03200BK17445 | 25 lbs. |
| 8.66" | 220mm | 6 | 12 | 03200BK22045 | 30 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

5586 Premium Wax/Resin Ribbon

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 05586BK04045 | 16 lbs. |
| 2.36" | 60mm | 6 | 24 | 05586BK06045 | 23 lbs. |
| 3.27" | 83mm | 6 | 24 | 05586BK08345 | 24 lbs. |
| 3.50" | 89mm | 6 | 24 | 05586BK08945 | 25 lbs. |
| 4.02" | 102mm | 6 | 24 | 05586BK10245 | 29 lbs. |
| 4.33" | 110mm | 6 | 24 | 05586BK11045 | 27 lbs. |
| 5.16" | 131mm | 6 | 24 | 05586BK13145 | 34 lbs. |
| 6.06" | 154mm | 6 | 12 | 05586BK15445 | 25 lbs. |
| 6.85" | 174mm | 6 | 12 | 05586BK17445 | 25 lbs. |
| 8.66" | 220mm | 6 | 12 | 05586BK22045 | 27 lbs. |

For use with Zebra Tabletop Printers*

5095 Performance Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 05095BK04045 | 16 lbs. |
| 2.36" | 60mm | 6 | 24 | 05095BK06045 | 23 lbs. |
| 3.27" | 83mm | 6 | 24 | 05095BK08345 | 22 lbs. |
| 3.50" | 89mm | 6 | 24 | 05095BK08945 | 25 lbs. |
| 4.33" | 110mm | 6 | 24 | 05095BK11045 | 27 lbs. |
| 5.16" | 131mm | 6 | 24 | 05095BK13145 | 34 lbs. |
| 6.06" | 154mm | 6 | 12 | 05095BK15445 | 25 lbs. |
| 6.85" | 174mm | 6 | 12 | 05095BK17445 | 25 lbs. |
| 8.66" | 220mm | 6 | 12 | 05095BK22045 | 27 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

5100 Premium Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 05100BK04045 | 16 lbs. |
| 2.36" | 60mm | 6 | 24 | 05100BK06045 | 23 lbs. |
| 3.27" | 83mm | 6 | 24 | 05100BK08345 | 22 lbs. |
| 3.50" | 89mm | 6 | 24 | 05100BK08945 | 25 lbs. |
| 4.33" | 110mm | 6 | 24 | 05100BK11045 | 27 lbs. |
| 5.16" | 131mm | 6 | 24 | 05100BK13145 | 34 lbs. |
| 6.06" | 154mm | 6 | 12 | 05100BK15445 | 25 lbs. |
| 6.85" | 174mm | 6 | 12 | 05100BK17445 | 25 lbs. |
| 8.66" | 220mm | 6 | 12 | 05100BK22045 | 27 lbs. |

Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 984 ft. (300m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 6 | 74775* | 10 lbs. |
| 2.36" | 60mm | 6 | 6 | 74776* | 19 lbs. |
| 3.15" | 80mm | 6 | 6 | 74777* | 20 lbs. |
| 3.94" | 100mm | 6 | 6 | 74778* | 26 lbs. |

M= MTO (Delivery in 2 weeks) Note: Minimum Order – 6 rolls

Nylon Resin Ribbon

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|------|--------------|-----------|--------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 6 | 24 | 74935* | 23 lbs. |
| 2.36" | 60mm | 6 | 24 | 74936* | 24 lbs. |
| 3.15" | 80mm | 6 | 24 | 74937* | 24 lbs. |

* Delivery in 2 weeks Note: Minimum Order – 48 rolls

Zebra ZipShip Ribbons



For use with TLP 2746e printer

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 6 | 24 | 800010-002 | 4.5 lbs. |
| 3.30" | 84mm | 6 | 24 | 800010-003 | 5.5 lbs. |
| 4.33" | 110mm | 6 | 24 | 800010-004 | 6.5 lbs. |

Note: Minimum Order – 24 rolls

3200 Performance Wax/Resin Ribbon

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 6 | 36 | 800011-002 | 4.5 lbs. |
| 3.30" | 84mm | 6 | 36 | 800011-003 | 5.5 lbs. |
| 4.33" | 110mm | 6 | 36 | 800011-004 | 6.5 lbs. |

5095 Performance Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 4.33" | 110mm | 6 | 24 | 800005-004 | 6.5 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Tabletop Printers*

5319 Performance Wax Ribbon

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Length: 1,476 ft. (450m) Core: 1" ID

| Width | | Quantity Per | | Part # | Color/ PMS | Outer Box Weight |
|----------|-------|--------------|-----------|---------------|----------------|---------------------|
| (Inches) | (mm) | Carton | Outer Box | | | |
| 2.36" | 60mm | 6 | 24 | 05319BL06045* | Blue 286C | 23 lbs. |
| 2.36" | 60mm | 6 | 24 | 05319RD06045* | Red 186C | 23 lbs. |
| 2.36" | 60mm | 6 | 24 | 05319MN06045* | Maroon 194C | 23 lbs. |
| 2.36" | 60mm | 6 | 24 | 05319GN06045* | Green 340C | 23 lbs. |
| 4.33" | 110mm | 6 | 24 | 05319BL11045* | Blue 286C | 23 lbs. |
| 4.33" | 110mm | 6 | 24 | 05319RD11045* | Red 186C | 23 lbs. |
| 4.33" | 110mm | 6 | 24 | 05319MN11045* | Maroon 194C | 23 lbs. |
| 4.33" | 110mm | 6 | 24 | 05319GN11045* | Green 340C | 23 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Desktop Printers*

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 05319GS06407 | 3.5 lbs. |
| 3.30" | 84mm | 12 | 48 | 05319GS08407 | 4.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 05319GS11007 | 5.5 lbs. |

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 12 | 03200GS06407 | 3.5 lbs. |
| 3.30" | 84mm | 12 | 12 | 03200GS08407 | 4.5 lbs. |
| 4.33" | 110mm | 12 | 12 | 03200GS11007 | 5.5 lbs. |

5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 05555GS06407 | 3.5 lbs. |
| 3.30" | 84mm | 12 | 48 | 05555GS08407 | 4.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 05555GS11007 | 5.5 lbs. |

5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 05586GS06407 | 3.5 lbs. |
| 3.30" | 84mm | 12 | 48 | 05586GS08407 | 4.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 05586GS11007 | 5.5 lbs. |

Zebra ZipShip Ribbons



For use with Zebra Desktop Printers*

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 05095GS06407 | 3.5 lbs. |
| 3.30" | 84mm | 12 | 48 | 05095GS08407 | 4.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 05095GS11007 | 5.5 lbs. |

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|---------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 05100GS06407* | 3.5 lbs. |
| 3.30" | 84mm | 12 | 48 | 05100GS08407* | 4.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 05100GS11007* | 5.5 lbs. |

* Delivery in 2 weeks

Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Carton Weight |
|----------|-------|--------------|-----------|--------|---------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 2.50" | 64mm | 12 | 48 | 74941* | 3 lbs. |
| 3.30" | 84mm | 12 | 48 | 74942* | 3.5 lbs. |
| 4.33" | 110mm | 12 | 48 | 74943* | 4.5 lbs. |

* Delivery in 2 weeks Note: Minimum Order – 12 rolls

Nylon Resin Ribbon

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|------|--------------|-----------|--------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.57" | 40mm | 48 | 48 | 74938* | 3 lbs. |
| 2.36" | 60mm | 48 | 48 | 74939* | 3.5 lbs. |
| 3.15" | 80mm | 48 | 48 | 74940* | 4.5 lbs. |

* Delivery in 2 weeks Note: Minimum Order – 48 rolls

Zebra ZipShip Ribbons



For use with TLP 2824

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|--------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.30" | 33mm | 12 | 48 | 800132-001 | 2.5 lbs. |
| 2.25" | 56.9mm | 12 | 48 | 800132-002 | 3 lbs. |

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|--------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.30" | 33mm | 12 | 12 | 800132-101 | 2.5 lbs. |
| 2.25" | 56.9mm | 12 | 12 | 800132-102 | 3 lbs. |

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|--------|--------------|-----------|------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.30" | 33mm | 12 | 48 | 800132-201 | 2.5 lbs. |
| 2.25" | 56.9mm | 12 | 48 | 800132-202 | 3 lbs. |

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|--------|--------------|-----------|--------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 1.30" | 33mm | 12 | 48 | 05100NT03307 | 2.5 lbs. |
| 2.25" | 56.9mm | 12 | 48 | 05100NT05707 | 3 lbs. |

NT: No Reflective Trailer

Zebra ZipShip Ribbons



For use with P4T and RP4T printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 98 ft. (30m)

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|-------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 4.33" | 110mm | 10 | 10 | 05555BK110D | 2 lbs. |

5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 98 ft. (30m)

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|-------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 4.33" | 110mm | 10 | 10 | 05095BK110D | 2 lbs. |

For use with PT 400 and PT 403 printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 52 ft. (16m)

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|-------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 4.33" | 110mm | 10 | 10 | 05555BK110C | 1lb. |

5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 52 ft. (16m)

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|-------------|------------------|
| (Inches) | (mm) | Carton | Outer Box | | |
| 4.33" | 110mm | 10 | 10 | 05100BK110C | 1lb. |

Zebra ZipShip Ribbons



For use with PAX4 printers

2100 Enhanced Wax Ribbon

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 2,955 ft. (900m)

| Width | | Quantity Per | | Part # | Outer Box Weight |
|----------|-------|--------------|-----------|---------------|------------------|
| (inches) | (mm) | Carton | Outer Box | | |
| 2.36" | 60mm | 6 | 12 | 02100BK06090* | 15 lbs. |
| 3.15" | 80mm | 6 | 12 | 02100BK08090* | 20 lbs. |
| 4.33" | 110mm | 6 | 12 | 02100BK11090* | 30 lbs. |
| 5.16" | 131mm | 6 | 12 | 02100BK13190* | 33 lbs. |
| 6.16" | 156mm | 6 | 12 | 02100BK15690* | 39 lbs. |
| 6.85" | 174mm | 6 | 12 | 02100BK17490* | 44 lbs. |



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

