



# Zebra<sup>®</sup> Supplies

## ZipShip<sup>SM</sup>



SEE MORE. DO MORE.



Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

With over 500 ZipShip supplies, Zebra offers one of the largest selections of in-stock thermal supplies.

Effective December 2, 2013

## Zebra™ Zip Ship<sup>SM</sup> Ships from Four Convenient Locations



### Zebra™ Genuine Supplies

#### Zebra makes selling supplies easy.

- With more than 1,000 combinations of high-quality and reliable labels, tags, receipts, wristbands and ribbons we can meet the needs of most applications and budgets.
- We have over 500 ZipShip™ products in stock and available for immediate shipment, ensuring quick and low-cost delivery.
- We have a dedicated Supplies R&D team and lab with a combined 30 years of experience committed to developing unique solutions for customers, in addition to providing diagnostic testing services.
- Can't find the product you need in stock? We pride ourselves on our extensive manufacturing capabilities, including printing, converting and finishing.
- We are ISO 9001:2008 certified. We have standard consistent processes in place that we must follow to ensure the creation of finished products that deliver high customer satisfaction.
- Our knowledgeable sales team has been extensively trained which allows them to quickly recommend materials and solutions that are best suited for the end-user's application.
- We offer several inventory management options, so you don't have to manage inventory.
- The Printhead Protection Program allows end-users to get free printheads when they exclusively utilize genuine Zebra supplies, giving you an advantage over the competition.

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Price List Updates

### **New Items**

#### Tabletop/Industrial Printer Media

Z-Perform 1000D Fanfold (page 6)  
10015366

Z-Perform 2000D (page 6)  
10015365

Z-Perform 2000D with Rubber Adhesive (page 6)  
10018341

Z-Perform 2000T with Rubber Adhesive (page 7)  
10018340

Z-Ultimate 2000T White (page 12)  
10018339  
10017522  
10017521

Z-Supreme 2000T White (page 14)  
10015787

Z-Slip (page 16)  
10006703

#### Desktop Printer Media

Z-Perform 2000D White Labels (page 18)  
10015781, 10015782, 10015783, 10015784, 10015785, 10015786

Z-Select 4000D 7.5 mil Tag (page 21)  
10015364

#### Mobile Printer Media

8000D Lab (page 30)  
10015772, 10015773, 10015774, 10017573, 10017574

PolyPro 4000D (page 31)  
10015778, 10015779, 10017577, 10017578, 10017581, 10017582

PolyPro 4000T (page 32)  
10015776, 10015777, 10017575, 10017576

#### Wristband Media – Tabletop/Industrial Printers

Z-Band Fusion (page 35)  
FID-ADULT-L3-3-500T

#### Wristband Media – RFID

UHF RFID Wristbands (page 45)  
10018345  
10018346K

HF RFID Wristbands (page 45)  
10018343  
10018344K

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Price List Updates

### ***New Items (cont.)***

#### **Wristband Media – Desktop Printers**

##### **Z-Band UltraSoft (page 38)**

10018856, 10018855, 10018857, 10019015

##### **Z-Band Fusion (page 39)**

FID-ADULT-L3-1-200T, FID-ADULT-L3C-1-200T, FID-PED-L3-1-200T, FID-BABY-L3-1-200T

#### **Wristband Media – HC100 Desktop Printers**

##### **Z-Band UltraSoft (page 41)**

10015355K, 10015356K, 10015357K, 10015358K, 10015355-2K, 10015355-3K, 10015355-5K

##### **Z-Band Fun (page 44)**

10012713-WK

#### **Wristband Media – Non-Printable**

##### **Alert Solutions**

###### **Spot Alert Labels (page 46)**

LB-ALERT-ALLERGY, LB-ALERT-FALLRISK, LB-ALERT-LATEXALLERGY,  
LB-ALERT-DNR-PUR, LB-ALERT-LIMBALERT, LB-ALERT-AZ

###### **Slim Alert Wristbands (page 46)**

PS-ALLERGY-RED, PS-FALLRISK-YEL, PS-LATEXALLERGY-GRE, PS-DNR-PUR,  
PS-LIMBALERT-PNK, PS-BLANK-PUR

###### **Tyvek® Alert Wristbands (page 46)**

TY-ALLERGY, TY-FALLRISK, TY-LATEXALLERGY, TY-DNR-PUR, TY-LIMBALERT,  
TY-ISOLATION, TY-NOSTICKNOBP, TY-OSARISK, TY-BLANK-SIL

##### **STATBand**

###### **Triage Band (page 47)**

SB-TRIAGE

###### **EMS Band (page 47)**

SB-EMS

###### **Evacuation Band (page 47)**

SB-E-VAC

###### **Rapid ID Band (page 47)**

SB-RAPID

##### **OmniBand (page 48)**

LB2-ADULT-WL3, LB2-ADULT-WL3-RED, LB2-ADULT-WL3-BLU, LB2-ADULT-WL3-ORA,  
LB2-PED-WL3

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Table of Contents

Printer Media Specifications.....	5
Tabletop/Industrial Media.....	6-16
RFID Media.....	17
Desktop Media.....	18-24
Kiosk Media.....	25
Mobile Media Reference Guide.....	26-28
Mobile Media .....	29-34
Wristband Media.....	35-48
Ribbon Overview.....	50-51
Tabletop/Industrial Ribbons.....	52-58
Desktop Ribbons.....	59-63
Mobile Ribbons.....	64
Specialty Ribbons.....	65
Sample Media and Ribbons.....	66-67

## Printer Media Specifications

	Printer	Core Size Inches	Max OD Inches	Min Media Width Inches	Max Media Width Inches	Min Label Caliper Mil*	Max Label Caliper Mil*
Tabletop/Industrial	S4M™	1/3	6/8	0.75	4.50	3	10
	Z4MPlus™	3	8	1.00	4.50	2.3	10
	Z6MPlus™	3	8	2.00	7.00	2.3	10
	ZM400™	3	8	1.00	4.25	2.3	10
	ZM600™	3	8	2.00	6.75	2.3	10
	105SL™ / 105SLPlus™	3	8	0.79	4.50	3	12
	110XiIIIPlus™ / 110Xi4™	3	8	0.79	4.50	3	12
	140XiIIIPlus™ / 140Xi4™	3	8	1.57	5.50	3	12
	170XiIIIPlus™ / 170Xi4™	3	8	2.00	7.10	3	12
	220XiIIIPlus™ / 220Xi4™	3	8	4.25	8.80	3	12
ZT220™ / ZT230™	1/3	6/8	0.75	4.50	3	10	
Desktop	LP/TLP 2824™ Series	1/1.5	5	1.00	2.36	3	7.5
	LP/TLP 2824 Plus™	1/1.5	5	1.00	2.36	3	7
	LP/TLP 2844™ Series	1/1.5	5	1.00	4.25	3	7.5
	TLP 3842™	1	5	1.00	4.25	3	7.5
	TLP 3844-Z™	1/1.5	5	1.00	4.25	3	7.5
	GK-Series™/GX-Series™	1/1.5	5	0.75	4.25	3	7.5
	GC420d™/GC420t™	1/1.5	5	1.00	4.25	3	7
	GT800™^	1/1.5	5	0.75	4.49	3	7
Mobile	QL 220™ / QL 220 Plus™	0.75	2.2	0.63	2.18	2.5	6.5
	QL 320 Plus™	0.75	2.63	1.25	3.12	2.5	6.5
	QL 420 Plus™	0.75	2.63	2.00	4.12	2.5	6.5
	RW 220™	0.75	2.25	1.00	2.37	2	6.3
	RW 420™ / RW420™ Print Station	0.75	2.25	2.00	4.12	2	6.3
	P4T™	0.75	2.6	2.00	4.12	3.2	8.5
	EM220™	0.5	1.57	2.08	2.28	2	4
	MZ 220™/iMZ220™	0.5/0.75	1.88	1.00	2.00	2	4
	MZ 320™/iMZ320™	0.5/0.75	1.88	1.00	3.00	2	4
	QLn220™	0.75/1.375	2.2	0.63	2.18	2.3	5.5
	QLn320™	0.75/1.375	2.6	1.00	3.12	2.3	6.5
QLn420™	0.75/1.375	2.6	2.00	4.40	3.2	7.5	
Specialty	R110Xi™ / R110Xi HF™	3	8	0.79	4.50	3	12
	R170Xi™	3	8	2	6.60	3	12
	R110PAX4™ / 110PAX4™	3	Varies	0.63	4.50	5.8	10
	R2844-Z™	1/1.5	5	1	4.25	3	7.5
	R4Mplus™	3	8	1	4.25	2.3	10
	RZ400	3	8	1	4.25	2.3	10
	RZ600	3	8	1	6.75	2.3	10
	170PAX4™	3	Varies	3	7.10	3	12
	ZE500™	Varies	Varies	0.63	4.50	5.3	10
	ZD500R™	1	5	0.75	4.25	3	12
RP4T™	1.375	2.6	2	4.12	3.2	8.5	

Please contact your media specialist for specific questions regarding printers not listed above & check printer specifications before ordering supplies. Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series, TTP 5250, KR203 and KR403. Kiosk printers can accommodate various roll sizes and widths depending on the configuration.

\*1 mil = 0.001 inches

^Available in Latin America and China only

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L								
3	x	1	10000303*	5,500	6	26 lbs.	x		x	x
4	x	2	10003051*	2,760	4	26 lbs.	x	x	x	x
4	x	3	10000302*	2,000	4	26 lbs.	x		x	x
4	x	6	10000301*	1,000	4	26 lbs.	x	x	x	x
4	x	6	10015366**	2,000	2	30 lbs.	x			
4	x	6.50	10000300*	900	4	26 lbs.	x			

\* Perforation between labels    \*\* Fanfold

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L								
2	x	1	10000298*	5,500	8	26 lbs.	x	x		x
2.25	x	1.25	10000297*	4,350	8	27 lbs.		x		
3	x	1	10000296*	5,500	6	26 lbs.	x	x		x
3	x	2	10000295*	2,750	6	26 lbs.		x		x
4	x	2	10012164	2,720	4	26 lbs.				x
4	x	2	10015365*	2,719	4	26 lbs.	x			
4	x	2.50	10000294*	2,280	4	26 lbs.	x	x		x
4	x	3	10000293*	2,000	4	26 lbs.	x	x	x	x
4	x	4	10000292*	1,500	4	26 lbs.		x	x	x
4	x	6	10000290*	1,000	4	26 lbs.	x	x	x	x
4	x	6.50	10000289*	900	4	26 lbs.	x	x		x

\* Perforation between labels

### Z-Perform 2000D with Rubber Adhesive

A direct thermal, smooth paper label with a permanent rubber adhesive. Ideal for applications such as packaging, compliance labeling and work-in-process labeling.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L								
4	x	6	10018341*	1,000	4	26 lbs.	x	x	x	x

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L								
2	x	1	10000288*	5,500	10	31 lbs.	x	x	x	x
3	x	1	10000287*	5,500	6	27 lbs.	x	x	x	x
3	x	2	10000286*	2,750	6	27 lbs.	x	x	x	x
3	x	5	10010242*	1,200	6	27 lbs.	x		x	x
3.5	x	1	10010243*	5,470	4	27 lbs.	x			
4	x	1	10010244*	5,470	4	27 lbs.	x			x
4	x	2	10000285*	2,750	4	23 lbs.	x	x	x	x
4	x	3	10000284*	2,000	4	27 lbs.	x	x	x	x
4	x	4	10000283*	1,500	4	27 lbs.	x	x	x	x
4	x	6	10000281*	1,000	4	27 lbs.	x	x	x	x
4	x	6	10000299**	2,000	2	26 lbs.	x	x		x
4	x	6.50	10000280*	900	4	27 lbs.	x	x	x	x
4	x	8	10014013*	750	4	27 lbs.	x			x

\* Perforation between labels    \*\* Fanfold

### Z-Perform 2000T with Rubber Adhesive

A standard, thermal transfer, smooth paper label with a permanent rubber adhesive. Recommended for printing applications up to 12 inches per second.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L								
4	x	6	10018340*	1,000	4	26 lbs.	x	x	x	x

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Tabletop/Industrial Printers

### Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

Size			Part #	Color	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
4	x	3	10006209-1*	Yel.	1,840	4	27 lbs.	x	x		
4	x	3	10006209-3*	Pink	1,840	4	27 lbs.	x			
4	x	6	10006208*	Blue	1,000	4	27 lbs.	x	x		
4	x	6	10006208-1*	Yel.	1,000	4	27 lbs.	x	x		
4	x	6	10006208-2*	Grn.	1,000	4	27 lbs.	x			
4	x	6	10006208-4*	Org.	1,000	4	27 lbs.	x	x		
4	x	6	10006208-5*	Red	1,000	4	27 lbs.	x			
4	x	6	10006208-7*	Fl.Or.	1,000	4	27 lbs.	x			
4	x	6.5	10005725-1*	Yel.	900	4	27 lbs.	x			

\* Perforation between labels      Colors/PMS: Fluorescent Orange/804, Blue/ 290, Yellow/Pantone Yellow, Green/ 365, Red/185, Pink/1767, Orange/021

### Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
3	x	1.25	67251**^	3,750	6	24 lbs.	x	x		
3.25	x	5	65156*	1,030	6	26 lbs.	x			

All tags contain side sensing notch.    ^ Contains a left-centered hole and right vertical perforation    \*Perforation between tags

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
3.25	x	7.38	67850*	860	4	25 lbs.	x			

Fanfold and side sensing notch \*Perforation between tags

## Tabletop/Industrial Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
1.50	x	1	88686	5,120	14	29 lbs.	x	x		x
2	x	1	72275	4,620	8	22 lbs.	x		x	x
2.25	x	1.25	72276	3,770	8	24 lbs.	x		x	x
2.25	x	1.25	10002635*	3,770	8	16 lbs.	x		x	
2.25	x	2.50	72277	1,980	8	24 lbs.	x			
2.25	x	4	72278	1,260	8	25 lbs.	x	x		
3	x	1	74569	5,120	6	24 lbs.	x		x	
3	x	2	98958*	2,710	6	26 lbs.	x		x	
3	x	3	84086	1,840	6	27 lbs.	x			x
3.50	x	1	75856	5,120	6	29 lbs.	x		x	x
4	x	1.50	10015348*	4,225	4	25 lbs.	x			x
4	x	2.50	72344	2,220	4	25 lbs.	x		x	x
4	x	3	800740-305*	2,238	4	25 lbs.	x		x	
4	x	4	82801	1,400	4	25 lbs.			x	x
4	x	6	72345	950	4	25 lbs.	x	x		x
4	x	6	98959*	940	4	25 lbs.	x		x	x
4	x	6	83398**	720	6	28 lbs.	x			
4	x	6.50	117945	870	4	25 lbs.			x	

\* Perforation between labels      \*\* Fanfold

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.50	x	1	72280	5,180	14	30 lbs.	x	x		x
2	x	1	72281	5,180	10	29 lbs.	x	x	x	x
2.25	x	0.75	800622-075*	7,995	4	14 lbs.	x			
2.25	x	1.25	800622-125*	5,087	4	16 lbs.	x			x
2.25	x	1.25	72283	4,240	8	26 lbs.	x	x		x
2.25	x	2	800622-205*	3,292	4	16 lbs.	x			
2.75	x	1.25	72282	4,240	8	31 lbs.	x	x		x
3	x	1	72284	5,180	6	25 lbs.	x	x		x
3	x	2	72285	2,740	6	27 lbs.	x	x		x
3	x	5	72993	1,100	6	28 lbs.	x	x		x
3	x	6	81397*	910	6	26 lbs.	x		x	
3.25	x	2	72974	2,700	6	30 lbs.	x			
3.25	x	5.50	72286	1,040	6	30 lbs.	x	x		x
3.25	x	5,831	72287	Cont.	6	35 lbs.		x		
3.50	x	1	72288	5,180	6	28 lbs.	x	x		
4	x	1	92071*	4,970	4	23 lbs.	x	x	x	
4	x	1.50	800640-155*	4,225	4	23 lbs.	x	x	x	x
4	x	2	72289	2,740	4	23 lbs.	x	x		x
4	x	2.50	94681*	2,130	4	23 lbs.	x		x	
4	x	2.50	72290	2,220	4	25 lbs.	x	x		x
4	x	3	72291	1,870	4	25 lbs.	x	x		x
4	x	3	800640-305*	2,238	4	25 lbs.	x			x
4	x	4	800640-405*	1,696	4	26 lbs.	x		x	x
4	x	4	72292	1,410	4	26 lbs.	x	x		x
4	x	5	800640-505*	1,365	4	26 lbs.	x		x	
4	x	6	72353	950	4	26 lbs.	x	x		x
4	x	6	72295**	900	6	35 lbs.	x		x	
4	x	6	72294*	950	4	26 lbs.	x	x	x	x
4	x	6.50	73298*	840	4	26 lbs.	x	x	x	
4	x	6.50	72296	880	4	26 lbs.		x		x
4	x	8	98963*	690	4	26 lbs.		x	x	
4	x	10	94682*	550	4	26 lbs.	x			
4	x	13	72297	440	4	26 lbs.	x			x
4	x	5,592	98962	Cont.	4	26 lbs.	x			
5	x	2.50	72298	2,220	4	32 lbs.	x			
5	x	6	72301	960	4	32 lbs.	x		x	x
5	x	5,831	72300	Cont.	4	32 lbs.	x			
6	x	4	72354	1,410	2	18 lbs.	x			
6	x	4	73909*	1,360	2	18 lbs.	x			
6	x	8	94683*	690	2	18 lbs.	x		x	
6.50	x	4	72302	1,410	2	18 lbs.	x			x

\* Perforation between labels      \*\* Fanfold

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
4	x	6	10005486*	1000	4	27 lbs.	x			

\* Perforation between labels

### Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

Size			Part #	Tags	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
4	x	6	72352*	860	4	22 lbs.	x	x	x	x

Tags have side sensing notch. \* Perforation between tags.

### Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	5.50	72305	1,050	10	31 lbs.		x		
2.75	x	1.25	72369	4,240	8	32 lbs.	x			
3	x	5	97477*	1,100	6	26 lbs.	x			
3.25	x	5.50	72371	1,040	6	32 lbs.	x			
3.25	x	5.831	72372	Cont.	6	35 lbs.	x			
3.50	x	1	72373	5,180	6	30 lbs.	x			
4	x	2.50	72374	2,220	4	25 lbs.	x			
4	x	6	72377	950	4	25 lbs.	x			
4	x	6	72376*	950	4	25 lbs.	x	x		x
4	x	6.50	72378	880	4	25 lbs.	x			
5	x	3	94684*	1,760	4	28 lbs.	x			

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD Max

Size			Part #	Labels		Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L		Across	Per Roll						
0.25	x	0.25	10011965*	8	10,000	4	12 lbs.	M			
0.25	x	0.25	10011966*	3	10,002	4	9 lbs.	M			
0.3125	x	0.3125	10011967*	2	10,000	4	9 lbs.	M			
0.375	x	0.375	10011968*	6	11,964	4	16 lbs.	M			
0.5	x	0.25	10011969*	6	9,996	4	16 lbs.	M			
0.5	x	0.4375	10011970*	4	10,000	4	12 lbs.				M
0.5	x	0.5	10011971*	4	10,000	4	12 lbs.	M			
0.75	x	0.25	10011972*	4	10,000	4	20 lbs.	M			
0.75	x	0.75	10011973*	4	10,000	4	20 lbs.	M			
1	x	0.25	10011974*	3	10,002	4	20 lbs.	M			
1	x	0.25	10011975*	1	16,456	4	9 lbs.	M			
1	x	0.375	10011976*	3	10,002	4	20 lbs.	M			
1	x	0.5	10008510*	1	9,420	4	9 lbs.	x	x		
1	x	1	10011977*	3	16,455	4	20 lbs.	M			
1.25	x	0.375	10011978*	1	12,342	4	20 lbs.	M			
1.5	x	0.25	10011979*	3	10,002	4	30 lbs.				M
1.5	x	0.5	10008511*	1	9,420	4	9 lbs.	x			
1.5	x	1	10011981*	1	5,486	4	9 lbs.	M			
1.75	x	0.25	10011982*	1	16,456	4	9 lbs.	M			
2	x	0.25	10011983*	1	16,456	4	12 lbs.	M			
2	x	0.375	10011984*	2	10,000	4	30 lbs.				M
2	x	0.5	10011985*	1	9,874	4	12 lbs.	M			
2	x	1	10008512*	1	5,570	4	12 lbs.	x	x		
2.75	x	1.25	10008513*	1	4,270	4	16 lbs.	x	x		x
3	x	1	10011691*	1	5,240	4	20 lbs.	x		x	x
3	x	2	10008514*	1	2,950	4	20 lbs.	x		x	x
3	x	3	10008515*	1	1,880	4	20 lbs.	x			
4	x	1	10017522*	1	5,500	4	32 lbs.	x			
4	x	1.5	10018339*	1	3,800	4	32 lbs.	x			
4	x	2	10002634*	1	2,950	4	32 lbs.	x	x		
4	x	2.5	10008516*	1	2,240	4	32 lbs.	x	x	x	
4	x	3	10017521*	1	2,000	4	32 lbs.	x			
4	x	4	10008517*	1	1,520	4	32 lbs.	x			
4	x	6	10008518*	1	960	4	32 lbs.	x			

\* Perforation between labels

M = Made to order  
(1 case minimum order)

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.25	x	0.25	10011692	15,710	4	8 lbs.	x			x
1.50	x	0.50	10011693	9,420	4	8 lbs.	x	x		x
1.75	x	0.75	10011694*	7,160	4	8 lbs.	x			
2	x	0.375	10011695	10,000	4	10 lbs.	x			
2	x	0.50	10011696	10,000	4	10 lbs.	x			
2	x	1	10011697*	5,570	4	10 lbs.	x			x
2	x	1.25	10011698	4,270	4	10 lbs.		x		x
2	x	4	10011699	1,570	4	10 lbs.	x			
2.50	x	0.50	10011700*	10,020	4	16 lbs.	x			
2.75	x	1.25	10011701	4,270	4	16 lbs.	x	x		x
3	x	1	10011702	5,240	4	20 lbs.	x	x	x	x
3	x	2	10011703*	2,950	4	20 lbs.	x			x
3	x	3	10011704	1,880	4	20 lbs.		x	x	x
3.50	x	1	10011705*	5,570	4	20 lbs.	x			
4	x	2	18951*	2,950	4	32 lbs.	x	x		x
4	x	2.50	65816	2,240	4	32 lbs.	x			x
4	x	4	94688*	1,520	4	32 lbs.	x			
4	x	6	66458	960	4	32 lbs.	x	x		x

\* Perforation between labels

### Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.50	x	0.50	10011706*	9,420	4	8 lbs.	x			
2	x	0.50	10011707*	10,000	4	10 lbs.	x			
2	x	1	10011708*	5,570	4	10 lbs.	x		x	
3	x	1	10011709*	5,240	4	20 lbs.	x			x
3	x	3	10011710*	1,880	4	20 lbs.	x			
4	x	2.50	10002627*	2,240	4	32 lbs.	x			
4	x	6	10002628*	960	4	32 lbs.	x	x		x

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

W	Size		Part #	Labels		Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L		Per Roll							
2	x	1	10008521*	4,300		4	12 lbs.	x			
3	x	1	10014014*	4,300		4	20 lbs.	x			
3	x	2	10008520*	2,280		4	20 lbs.	x			x
4	x	6	10008519*	790		4	32 lbs.	x			x

\* Perforation between labels

### Z-Supreme 2000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons. Recommended for use with 110XiIII Plus™/110Xi4™ 600 dpi printers.

3" ID 8" OD

W	Size		Part #	Labels		Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L		Across	Per Roll						
0.25	x	0.25	10015787*	7	10,003	1	2 lbs.			x	
0.75	x	0.25	10015764*	1	10,000	1	2 lbs.	x			
1	x	0.25	10015765*	1	10,000	1	2 lbs.	x			
1.5	x	0.25	10015766*	1	10,000	1	2 lbs.	x			

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID 8" OD Max

Size			Part #	Labels		Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L		Across	Per Roll						
0.75	x	0.25	10011986*	4	10,000	4	20 lbs.	M			
1	x	0.5	10011987*	3	10,002	4	20 lbs.		x		
1.75	x	0.75	10011988*	2	11,888	4	20 lbs.				M
2.75	x	1.25	10011989*	1	3,923	4	20 lbs.	M			
3	x	1	10011990*	1	4,610	4	30 lbs.	x	x		
3	x	2	10011991*	1	2,440	4	30 lbs.	x			
3	x	5	10011992*	1	1,015	4	30 lbs.	x	x		x
3.25	x	2	10011993*	1	2,448	4	30 lbs.				M
4	x	2	10011994*	1	2,441	4	32 lbs.				x

\* Perforation between labels

M = Made to order  
(1 case minimum order)

### PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

Size			Part #	Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2	x	1	10014716*	3,940	4	10 lbs.	x	x	x	
2.75	x	1.25	10014717	3,210	4	28 lbs.	x	x		
3	x	1	10011688	4,350	4	20 lbs.		x		x
3	x	2	10011689	2,230	4	20 lbs.	x			x
3.25	x	5.50	10011690	870	4	20 lbs.	x	x		x
4	x	3	10008531*	1,420	4	32 lbs.	x			
4	x	6	10008530*	720	4	32 lbs.	x		x	
5	x	8	10014715*	560	4	24 lbs.	x			

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Tabletop/Industrial Printers

### 8000T Tuff 7.0 mil Tag

#### Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

Size			Part #	Tags	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1	x	10	69531*	1,920	4	21 lbs.	x			

\* Perforation between tags (4 across)

### Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID 8" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
6.625	x	6	10004425*	660	2	20 lbs.	x			
4.375	x	6.875	10006703*	580	4	32 lbs.	x			

\* Perforation between labels

### 8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

3" ID 8" OD

W	x	L	Part #	Labels Per Roll	Rolls/Kit	WI	GA	TX	CA
2.50	x	0.75	10002539*	4,800	3	M			
3.25	x	1.13	10002540*	3,200	3	M			

\*Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll

M= Made to order (1 kit minimum required)

### 8000T Vinyl Clear

#### Self-Laminating Wire Wrap Label

A thermal transfer, clear vinyl label with a white printable area and a permanent acrylic adhesive that provides excellent durability and chemical resistance. The conformable vinyl material utilizes a self-laminating design that provides additional image durability.

3" ID 8" OD Max

Size			Part #	Print Area	Labels	Rolls/	Labels	Carton	WI	GA	TX	CA
W	x	L		Height (in)	Across	Carton	Per Roll	Weight				
0.5	x	1	10015768*^	0.375	4	1	5,000	4 lbs.	x		x	
1	x	1.437	10015769*^	0.50	3	1	7,500	4 lbs.	x		x	
1	x	2.25	10015770*^	0.75	2	1	3,000	4 lbs.	x		x	

\* Perforation between labels

^ Labels are equipped with black mark sensing

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## RFID Printers

### Belt RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate and plastic packaging materials. These labels can also be used for close coupling. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.874	x	.669	10015350	5,000	1	5 lbs.		x		

### DogBone RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
3.819	x	1.063	10015351	3,000	1	6 lbs.		x		

### ShortDipole RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate, glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
3.819	x	.591	10015352	5,000	1	6 lbs.		x		

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Desktop Printers

### Z-Perform 2000D

A standard, direct thermal, coated paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.25	x	1	10015784*	2,340	6	6 lbs.		x		
2	x	1	10010028*	2,340	6	10 lbs.	x	x	x	x
2.25	x	0.75	10015785*	3,315	12	20 lbs.	x	x		
2.25	x	1.25	10015781*	1,240	12	20 lbs.	x	x		x
3	x	1	10015782*	2,340	6	11 lbs.	x	x		x
3	x	2	10010029*	1,240	6	11 lbs.	x	x	x	x
3	x	3	10010030*	840	6	11 lbs.	x			
4	x	1	10015783*	2,340	6	12 lbs.	x	x		
4	x	1.5	10015786*	1,620	6	12 lbs.	x	x		
4	x	2	10010031*	1,240	6	14 lbs.	x			x
4	x	2	10012163	1,240	6	12 lbs.				x
4	x	3	10010032*	840	6	15 lbs.	x	x		x
4	x	4	10010033*	640	6	15 lbs.	x		x	
4	x	6	10010034*	430	6	15 lbs.	x	x	x	x

\* Perforation between labels

### Z-Perform 2000D Floodcoated

A standard, direct thermal, coated paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

Size			Part #	Color	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L			Per Roll	Carton	Weight				
4	x	6	10010035*	Yel.	430	6	15 lbs.	x			
4	x	6	10010035-1*	Grn.	430	6	15 lbs.	x			
4	x	6	10010035-2*	Org.	430	6	15 lbs.	x			
4	x	6	10010035-3*	Red	430	6	15 lbs.	x			

\* Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

### Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1	10005850*	2,490	6	6 lbs.	x	x	x	x
4	x	2	10005851*	1,320	6	15 lbs.	x		x	
4	x	3	10005852*	890	6	15 lbs.	x		x	x
4	x	6	10005853*	460	6	15 lbs.	x		x	x

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
1	x	3	10010036*	840	6	6 lbs.	x	x	x	x
1.20	x	0.85	10010037*	2,710	6	6 lbs.	x	x	x	x
1.25	x	1	10010038*	2,340	6	6 lbs.	x	x	x	x
2	x	1	10010039*	2,340	4	6 lbs.	x	x	x	x
2.25	x	0.50	10010040*	4,200	4	6 lbs.	x	x		x
2.25	x	0.75	10015340*	3,315	12	20 lbs.	x	x	x	x
2.25	x	1.25	10015341*	2,100	12	20 lbs.	x	x	x	x
2.25	x	2	10015342*	1,370	12	20 lbs.	x	x	x	x
2.25	x	2.50	10010041*	1,000	4	6 lbs.	x	x	x	x
2.25	x	3	10010042*	840	6	10 lbs.	x	x		x
2.25	x	4	10015343*	700	12	20 lbs.	x	x	x	x
3	x	1	10010043*	2,340	6	11 lbs.	x	x	x	x
3	x	2	10010044*	1,240	6	11 lbs.	x	x	x	x
4	x	1	10010045*	2,340	6	12 lbs.	x	x	x	x
4	x	1.25	10015349*	2,100	12	28 lbs.	x	x	x	x
4	x	1.50	10010046*	1,620	6	12 lbs.	x	x		x
4	x	2	10010047*	1,240	6	12 lbs.	x	x	x	x
4	x	2.50	10010048*	1,000	6	12 lbs.	x	x		x
4	x	3	10015344*	930	12	30 lbs.	x	x	x	x
4	x	4	10015345*	700	12	30 lbs.	x	x	x	x
4	x	5	10015346*	565	12	30 lbs.	x	x	x	x
4	x	6	10010049	475	6	15 lbs.	x	x		x
4	x	6	10015347*	475	12	30 lbs.	x	x	x	x

\* Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.38	x	1	10010050*	2,340	6	10 lbs.	x	x	x	x

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.25	x	1.25	10010051*	1,910	6	10 lbs.	x	x		x

Labels have a center vertical slit creating two 1.125" x 1.25" labels. \* Perforation between labels

### Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.375	x	1	10010052*	2,260	6	6 lbs.	x	x	x	x

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.188	x	0.84	10009522*	3,000	6	6 lbs.	x	x		x
1.25	x	1	10009523*	2,580	6	10 lbs.	x	x	x	x
1.5	x	1	83258*	2,260	8	8 lbs.	x	x		x
2	x	1	83259*	2,260	8	8 lbs.	x	x	x	x
2.25	x	0.75	10009524*	3,320	6	10 lbs.	x	x	x	x
2.25	x	1.25	800272-125*	2,100	12	20 lbs.	x	x	x	x
2.25	x	2	10009525*	1370	6	11 lbs.	x	x		x
2.25	x	3	10009526*	930	6	12 lbs.	x	x	x	x
2.25	x	4	10009527*	700	6	13 lbs.	x	x		x
2.75	x	1.25	83260*	1,850	4	7 lbs.	x			
3	x	1	10009528*	2,580	6	8 lbs.	x	x	x	x
3	x	2	10009529*	1,370	6	15 lbs.	x	x	x	x
4	x	1	83340*	2,260	4	8 lbs.	x	x	x	x
4	x	1.50	800274-155*	1,790	12	30 lbs.	x		x	x
4	x	2	10009530*	1,370	6	15 lbs.	x	x	x	x
4	x	3	800274-305*	930	12	30 lbs.	x	x	x	x
4	x	3	83262	810	4	9 lbs.	x			
4	x	4	800274-405*	700	12	30 lbs.	x	x	x	x
4	x	5	10009531*	570	6	15 lbs.	x	x		x
4	x	6	82868	420	4	15 lbs.		x		x
4	x	6	800274-605*	475	12	30 lbs.	x	x	x	x
4	x	6.50	83257*	380	4	15 lbs.		x	x	

\* Perforation between labels

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2.38	x	1	10005848*	2,580	6	5 lbs.	x	x		x

Labels have a center vertical slit creating two 1.1875" x 1" labels. \* Perforation between labels

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
4	x	6	10005849*	430	6	15 lbs.	x			

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

1" ID 5" OD

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
1.25	x	2.25	10010053*^	980	6	4 lbs.	x	x		x
2.25	x	1.37	10010054*^	1,600	6	6 lbs.	x	x	x	x
3.25	x	1.875	10010055*	1,170	6	8 lbs.	x	x	x	
4	x	3	10010056*	730	4	10 lbs.	x			x
4	x	6	10015364*	365	4	14 lbs.	x			

All tags have a sensing notch    ^ Stringhole in tag    \* Perforation between labels

### Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID 5" OD

W	x	L	Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
2	x	Cont.	10010057^^	574'	6	18 lbs.	x			
4	x	Cont.	10010058^^	574'	6	20 lbs.	x			

^^Last 3 feet of media marked with a pink stripe to indicate end of roll

## Desktop Printers

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size		Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
	x	L		Per Roll	Carton	Weight				
2	x	0.50	18943*	4,550	8	20 lbs.		x		
2	x	1	17157*	2,530	12	18 lbs.	x			x
2	x	1.25	18940*	2,070	8	12 lbs.	x	x	x	
3	x	1	18939*	2,530	8	12 lbs.	x	x		x
3	x	3	18942*	910	8	13 lbs.	x			
4	x	2	18950*	1,340	4	15 lbs.	x	x		x
4	x	6	18941*	460	4	15 lbs.	x	x		x

\* Perforation between labels

### Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size		Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
	x	L		Per Roll	Carton	Weight				
2	x	1	10002629*	2,530	8	12 lbs.	x	x		
3	x	1	10002630*	2530	6	12 lbs.	x			
4	x	2	10002631*	1340	4	15 lbs.	x			

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
1.50	x	0.50	18930*	3,780	8	12 lbs.	x	x		
2	x	0.50	18928*	3,780	8	12 lbs.	x			
2	x	1	17154*	2,100	8	12 lbs.	x	x		
2	x	1.25	18925*	1,720	8	12 lbs.	x			
3	x	1	18924*	2,100	8	12 lbs.	x	x		
3	x	3	18927*	760	8	13 lbs.	x			
4	x	2	18932*	1,110	4	13 lbs.	x	x	x	x
4	x	2.50	18929*	900	4	13 lbs.		x		x
4	x	6	18926*	390	4	13 lbs.	x	x		x

\* Perforation between labels

### PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2.25	x	1.25	10010063*	2,000	6	11 lbs.	x	x	x	x

\* Perforation between labels

### PolyPro 4000D

#### *Jewelry Butterfly Label*

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2.20	x	0.50	10010062^	4,400	6	11 lbs.	x			

Labels are equipped with black mark sensing.

^ Label with flaps.

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Desktop Printers

### 8000D Jewelry

#### *Jewelry Butterfly Label*

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.20	x	0.50	10010064	3,510	6	11 lbs.	x			
2.20	x	0.50	10010065 <sup>^</sup>	3,510	6	12 lbs.	x	x		

Labels are equipped with black mark sensing.      <sup>^</sup> Label with flaps.

### 8000T Jewelry

#### *Jewelry Butterfly Label*

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.20	x	0.50	10010066	3,510	6	12 lbs.	x			
2.20	x	0.50	10010067 <sup>^</sup>	3,510	6	12 lbs.	x		x	

Labels are equipped with black mark sensing.      <sup>^</sup> Label with flaps.

### 8000D Near-IR

#### *Parcel Shipping Label*

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
4	x	2.25	10010059*	1,060	4	10 lbs.	x			
4	x	6	10010060*	410	4	10 lbs.	x			
4	x	8	10010061*	310	4	10 lbs.	x			

\* Perforation between labels

### 8000T Cling White

A thermal transfer, cling vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2	x	1.25	10003860*	1,410	8	10 lbs.	x			

\* Perforation between labels

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Kiosk Printers

### Z-Perform 1000D 3.5 mil Receipt (10 years archivability)

*To be used with TTP 2000, 5250 & 7000 Series and KR203 & KR403*

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
3.125	x	Cont.	10007008	645'	8	23 lbs.	x			

*To be used with TTP 5250 & 7000 Series*

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
4.375	x	Cont.	10007009	645'	8	32 lbs.	x			

*To be used with TTP 8000 Series*

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
8.5	x	Cont.	10007010	565'	4	28 lbs.	x			

*For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station	QLn 220	QLn 320	QLn 420	
Direct Thermal Labels	Z-Perform 1000D	LD-R7MJ5P	2.00"	1.00"	o		x	o	o	x	o	x	o	o	
	Z-Perform 1000D	LD-R2AL5B	2.00"	1.25"	o		x	o	o	x	o	x	o	o	
	Z-Perform 1000D	LD-R7AO5B	2.00"	2.00"	o		x	o	o	x	o	x	o	o	
	Z-Perform 1000D	LD-R7AM5R	2.00"	3.00"	o		x	o	o	x	o	x	o	o	
	Z-Perform 1000D	LD-R3TU5B	2.90"	1.00"	o			x	o				x	o	
	Z-Perform 1000D	LD-R2AQ5J	4.00"	2.00"	x				x						x
	Z-Perform 1000D	LD-R6AO5B	4.00"	3.00"	x				x						x
	Z-Perform 1000D	LD-R3AK5B	4.00"	4.00"	x				x						x
	Z-Perform 1000D	LD-R4AW5B	4.00"	6.00"	x				x						x
	Z-Perform 2000D	LD-R6AD5W	2.9375"	4.9375"	o			x	o					x	o
	Z-Perform 2000D	LD-R3AT5F	3.00"	1.75"	o			x	o					x	o
	Z-Select 4000D	10015767	2.00"	1.5"	o		x	x	o		o	x	x	o	
	Z-Select 4000D	10001962	3.00"	2.00"	o		x	x	o		o			x	o
	Z-Select 4000D	800322-125	2.25"	1.25"		x								o	
	Z-Select 4000D	800340-305	4.00"	3.00"		x									
	8000D Lab	10015772	2.00"	1.25"	o		x	o	o	x	o	x	o	o	
	8000D Lab	10015773	2.00"	1.5"	o		x	o	o	x	o	x	o	o	
	8000D Lab	10015774	2.00"	2.00"	o		x	o	o	x	o	x	o	o	
	PolyPro 4000D	LD-R7BL5B	2.00"	1.00"	o		x	o	o	x	o	x	o	o	
	PolyPro 4000D	LD-R2BF5W	2.00"	1.25"	o		x	o	o	x	o	x	o	o	
PolyPro 4000D	10015778	2.00"	1.25"	o		x	o	o	x	o	x	o	o		
PolyPro 4000D	10015779	2.00"	2.00"	o		x	o	o	x	o	x	o	o		

- X** Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- O** Media compatible with your mobile printer, but the printer can support a larger outer diameter.

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station	QLn 220	QLn 320	QLn 420
<b>Thermal Transfer Labels</b>	Z-Select 4000T	10008549	4.00"	6.00"	x									
	Z-Select 4000T	84932	3.00"	1.00"		x								
	Z-Ultimate 4000T	10010073	2.00"	1.25"	x									
	Z-Ultimate 4000T	10008551	3.00"	3.00"	x									
	PolyPro 4000T	82414	2.00"	1.00"		x								
	PolyPro 4000T	82413	3.00"	3.00"		x								
	PolyPro 4000T	10015776	2.00"	1.25"	x									
	PolyPro 4000T	10015779	2.00"	2.00"	x									
PolyPro 4000T	10008424	4.00"	6.00"	x										

- |   |   |
|---|---|
| X | Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications. |
| O | Media compatible with your mobile printer, but the printer can support a larger outer diameter.                               |

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	EM 220	MZ 220	MZ 320	IMZ220	IMZ320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station	QLn220	QLn320	QLn420	
Direct Thermal Receipts	Z-Perform 1000D 2.4 mil Receipt	10011041	2.00"	Cont.		X		X												
	Z-Perform 1000D 2.4 mil Receipt	10011042	3.00"	Cont.			X		X											
	Z-Perform 1000D 2.4 mil Receipt	10006224	4.00"	Cont.										X		X				X
	Z-Perform 1000D 2.4 mil Receipt	800398-004	4.00"	Cont.							X									
	Z-Select 4000D 3.2 mil Receipt	LD-R2KH5B	2.00"	Cont.						O		X	O	O	X	O	X	O	O	
	Z-Select 4000D 3.2 mil Receipt	LD-R3KX5B	3.00"	Cont.						O			X	O		O		X	O	
	Z-Select 4000D 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont.						X				X		X				X
	Z-Select 4000D 3.2 mil Receipt	10011043	2.00"	Cont.		X		X												
	Z-Select 4000D 3.2 mil Receipt	10011044	3.00"	Cont.			X		X											
	Z-Select 4000D 3.2 mil Receipt	10008899	2.25"	Cont.	X															
Linerless	8000D 3.2 mil High-Temp Receipt	10001965	4.00"	Cont.										X		X			X	
	8000D Linerless*	LD-R2LS5W	2.00"	Cont.								X	O	O			X	O	O	
	8000D Linerless*	LD-R4LF5P	4.00"	Cont.										X					X	

\* Requires linerless roller

- |   |
|---|
| X |
|---|

 Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- |   |
|---|
| O |
|---|

 Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2	x	1	LD-R7MU5P	350	36	7 lbs.	x	x		x
2	x	1.25	LD-R2AL5B	280	36	7 lbs.	x	x	x	x
2	x	2	LD-R7AO5B	185	36	7 lbs.	x	x		
2	x	3	LD-R7AM5R	125	36	8 lbs.	x	x		x

Labels are equipped with black mark sensing

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.90	x	1	LD-R3TU5B	575	36	14 lbs.	x	x	x	x
4	x	2	LD-R2AQ5J*	300	36	23 lbs.	x	x		x
4	x	3	LD-R6AO5B*	200	36	23 lbs.	x	x	x	x
4	x	4	LD-R3AK5B*	160	36	24 lbs.	x	x	x	x
4	x	6	LD-R4AW5B*	105	36	24 lbs.	x	x	x	x

Labels are equipped with black mark sensing \* Perforation between labels

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2.94	x	4.94	LD-R6AD5W	130	36	18 lbs.	x	x		x
3	x	1.75	LD-R3AT5F*	350	36	18 lbs.	x	x	x	x

Labels are equipped with black mark sensing \* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20 ° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1.5	10015767*	284	36	10 lbs.	x			
3	x	2	10001962*	210	36	18 lbs.	x		x	x

\* Perforation between labels

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2.25	x	1.25	800322-125*	260	12	2 lbs.	x	x		
4	x	3	800340-305*	110	12	4 lbs.	x			

\* Perforation between labels

### 8000D Lab

A premium direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1.25	10015772*	330	12	3 lbs.	x			
2	x	1.5	10015773*	280	12	3 lbs.	x			
2	x	2	10015774*	215	12	3 lbs.	x			
2	x	1.25	10017573*^	330	12	3 lbs.	x			
2	x	1.5	10017574*^	280	12	3 lbs.	x			

\* Perforation between labels

^ Labels equipped with black mark sensing

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
4	x	6	10008549	110	16	17 lbs.	x		x	

Labels are equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
3	x	1	84932	270	6	2 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1	LD-R7BL5B	350	36	7 lbs.	x	x		
2	x	1.25	LD-R2BF5W	280	36	8 lbs.	x	x	x	

Labels are equipped with black mark sensing

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1.25	10015778*	380	12	3 lbs.	x			
2	x	1.25	10017581*~	380	12	3 lbs.	x			
2	x	1.25	10017577*^~	380	12	3 lbs.	x			
2	x	2	10015779*	245	12	3 lbs.	x			
2	x	2	10017582*~	245	12	3 lbs.	x			
2	x	2	10017578*^~	245	12	3 lbs.	x			

\* Perforation between labels

^ Labels equipped with black mark sensing

~ Labels equipped with protective overvarnish



## Mobile Printers

### Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1.25	10010073	520	12	12 lbs.	x			
3	x	3	10008551	230	12	16 lbs.	x			

Labels are equipped with black mark sensing

### PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1.25	10015776*	375	12	3 lbs.	x			
2	x	1.25	10017575*^	375	12	3 lbs.	x			
2	x	2	10015777*	245	12	3 lbs.	x			
2	x	2	10017576*^	245	12	3 lbs.	x			
4	x	6	10008424	80	36	36 lbs.				x

\* Perforation between labels

^ Labels equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton	WI	GA	TX	CA
W	x	L		Per Roll	Carton	Weight				
2	x	1	82414	260	12	3 lbs.	x	x		x
3	x	3	82413	90	12	5 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Perform 1000D 2.4 mil Receipt (10 years archivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
2	x	Cont.	10011041	80'	36	9 lbs.		x	x		
3	x	Cont.	10011042	80'	36	13 lbs.		x	x		

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
4	x	Cont.	10006224	100'	36	13 lbs.		x			

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
4	x	Cont.	800398-004	75'	12	5 lbs.		x			

### Z-Select 4000D 3.2 mil Receipt (25 years archivability)

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
2	x	Cont.	LD-R2KH5B	81'	36	9 lbs.		x			
3	x	Cont.	LD-R3KX5B	81'	36	13 lbs.		x			
4	x	Cont.	LD-R4KN5B	81'	36	13 lbs.		x			

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
2	x	Cont.	10011043	55'	36	9 lbs		x			
3	x	Cont.	10011044	55'	36	13 lbs		x			

0.50" ID 1.57" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Length	Rolls/ Carton	Carton		WI	GA	TX	CA
	x	L				Weight					
2.25	x	Cont.	10008899	40'	36	9 lbs		x			

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### 8000D 3.2 mil High-Temp Receipt (20 years archivability)

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194° F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
4	x	Cont.	10001965	74'	36	7 lbs.	x			

### 8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent rubber adhesive.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
2	x	Cont.	LD-R2LS5W	65'	36	16 lbs.	x			

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Length	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L								
4	x	Cont.	LD-R4LF5P	85'	20	23 lbs.	x			

## Wristband Media - Tabletop/Industrial Printers

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

3" ID 8" OD

W	Size		Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	11	White	10005007	450	6	9 lbs.	x			
1	x	11	Red	10003854-1	450	6	9 lbs.	M			
1	x	11	Yellow	10003854-2	450	6	9 lbs.	M			
1	x	11	Blue	10003854-3	450	6	9 lbs.	M			
1	x	11	Green	10003854-4	450	6	9 lbs.	M			
1	x	11	Pink	10003854-5	450	6	9 lbs.	M			
1	x	11	Orange	10003854-6	450	6	9 lbs.	M			
1.25	x	11	White	10006648	450	6	9 lbs.	x			

All wristband part numbers are perforated

M = Made to order (2 carton minimum required)

### Z-Band Fusion

*See datasheet on Access Zebra for more information*

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

3" ID 8" OD

Wristband Length	Image Area			Part #	Sheet		Bands Per Roll	Rolls/ Case	Case Weight	WI	GA	TX	CA
	W	x	L		Width	Color							
9.25	2.75	x	0.875	FID-ADULT-L3-3-500T	3.00	White	500	2	7 lbs.	x			

All wristband part numbers are perforated

### Z-Band 4000 Wristband Kit

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

3" ID 8" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	11	ZBAND1	White	530	3	6 lbs.	x			x

Z-Band 4000 Tabletop Wristband kit includes 3 rolls of perforated wristbands and 1 roll of the 5095 ribbon.

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

## Wristband Media - Tabletop/Industrial Printers

### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement. Color clips also available.

3" ID 8" OD

Size			Part #	Bands	Rolls/	Kit	WI	GA	TX	CA
W	x	L		Per Roll	Kit	Weight				
1.1875	x	11	97890K^	550	6	11 lbs.	x			

^(1.1875 x 11) Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

Part #	Color	Clips	WI	GA	TX	CA
		Per Pack				
97032-Red	Red	275	x			
97032-Blue	Blue	275	x			
97032-Green	Green	275	x			
97032-Yellow	Yellow	275	x			
97032-Pink	Pink	275	x			
97032-Purple	Purple	275	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Tabletop/Industrial Printers

### Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

3" ID 8" OD

Size			Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	Red	10012714-1	800	4	7 lbs.	M			
1	x	10	Yellow	10012714-2	800	4	7 lbs.	M			
1	x	10	Blue	10012714-3	800	4	7 lbs.	M			
1	x	10	Green	10012714-4	800	4	7 lbs.	M			
1	x	10	Pink	10012714-5	800	4	7 lbs.	M			
1	x	10	Orange	10012714-6	800	4	7 lbs.	M			
1	x	10	Purple	10012714-7	800	4	7 lbs.	M			

All wristband part numbers are perforated

M = Made to order (Minimum Order - 4 rolls)

### Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

3" ID 8" OD

Size			Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	Red	10012719-1	800	4	7 lbs.	M			
1	x	10	Yellow	10012719-2	800	4	7 lbs.	M			
1	x	10	Blue	10012719-3	800	4	7 lbs.	M			
1	x	10	Green	10012719-4	800	4	7 lbs.	M			
1	x	10	Pink	10012719-5	800	4	7 lbs.	M			
1	x	10	Orange	10012719-6	800	4	7 lbs.	M			
1	x	10	Purple	10012719-7	800	4	7 lbs.	M			

All wristband part numbers are perforated

M = Made to order (Minimum Order - 4 rolls)

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### Z-Band UltraSoft

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement. Scannable for up to 14 days.

1" ID 5" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	11	10018856	White	175	6	6 lbs.	x			
0.75	x	11	10018855	White	175	6	6 lbs.	x			
1	x	7	10018857	White	250	6	6 lbs.	x			
1	x	6	10019015	White	300	6	6 lbs.	x			

All wristband part numbers are perforated

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

1" ID 5" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
0.75	x	11	10004448	White	200	6	4.8 lbs.	x			x
1	x	11	10005008	White	200	6	4.8 lbs.	x			x
1	x	11	10004443-1	Red	200	6	4.8 lbs.	x			
1	x	11	10004443-2	Yellow	200	6	4.8 lbs.	x			
1	x	11	10004443-3	Blue	200	6	4.8 lbs.	x			
1	x	11	10004443-4	Green	200	6	4.8 lbs.	x			
1	x	11	10004443-5	Pink	200	6	4.8 lbs.	x			
1	x	11	10004443-6	Orange	200	6	4.8 lbs.	x			
1.25	x	11	10006647	White	200	6	4.8 lbs.	x			
1	x	6	10003853	White	350	6	4.8 lbs.	x			
1	x	7	10003852	White	300	6	4.8 lbs.	x			

All wristband part numbers are perforated

### Soft Infant Z-Band Wristbands

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

1" ID 4.8" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
2	x	7	10007909	White	275	6	6 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### Z-Band Fusion

See datasheet on Access Zebra for more information

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

1" ID 5" OD

Wristband Length	Image Area			Part #	Sheet		Bands Per Roll	Rolls/ Case	Case				
	W	x	L		Width	Color			Weight	WI	GA	TX	CA
9.25	2.75	x	0.875	FID-ADULT-L3-1-200T	3.00	White	200	5	7 lbs.	x			
9.25	2.75	x	0.875	FID-ADULT-L3C-1-200T*	4.00	White	200	5	10 lbs.	x			
7.375	2.75	x	0.875	FID-PED-L3-1-200T	3.00	White	200	5	8 lbs.	x			
5.75	1.63	x	0.750	FID-BABY-L3-1-200T	3.00	White	200	5	8 lbs.	x			

All wristband part numbers are perforated

\*Combo sheet – contains (8) additional labels

### Z-Band 4000

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

1" ID 5" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	11	17158	White	300	4	2 lbs.	x			

### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

W	Size		Part #	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
	x	L								
1.1875	x	11	97881K^	260	6	11 lbs.	x			
1	x	7	10004821K*	390	6	10 lbs.	x			

\*(1 x 7) Includes 6 rolls of perforated wristbands and 2,610 white clips. Color clips sold separately.

^(1.1875 x 11) Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack	WI	GA	TX	CA
97032-Red	Red	275	x			
97032-Blue	Blue	275	x			
97032-Green	Green	275	x			
97032-Yellow	Yellow	275	x			
97032-Pink	Pink	275	x			
97032-Purple	Purple	275	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Wristband Media - Desktop Printers

### Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

1" ID 5" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	10	10012712-1	Red	350	4	4 lbs.	x			
1	x	10	10012712-2	Yellow	350	4	4 lbs.	x			
1	x	10	10012712-3	Blue	350	4	4 lbs.	x			
1	x	10	10012712-4	Green	350	4	4 lbs.	x			
1	x	10	10012712-5	Pink	350	4	4 lbs.	x			
1	x	10	10012712-6	Orange	350	4	4 lbs.	x			
1	x	10	10012712-7	Purple	350	4	4 lbs.	x			

All wristband part numbers are perforated

### Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

1" ID 5" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	10	10012718-1	Red	350	4	4 lbs.	x			
1	x	10	10012718-2	Yellow	350	4	4 lbs.	x			
1	x	10	10012718-3	Blue	350	4	4 lbs.	x			
1	x	10	10012718-4	Green	350	4	4 lbs.	x			
1	x	10	10012718-5	Pink	350	4	4 lbs.	x			
1	x	10	10012718-6	Orange	350	4	4 lbs.	x			
1	x	10	10012718-7	Purple	350	4	4 lbs.	x			

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band UltraSoft Kit

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement. Scannable for up to 14 days.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	11	10015355K	White	175	6	6 lbs.	x			
0.75	x	11	10015356K	White	175	6	6 lbs.	x			
1	x	7	10015357K	White	250	6	6 lbs.	x			
1	x	6	10015358K	White	300	6	6 lbs.	x			
1	x	11	10015355-2K	Blue	175	6	6 lbs.	x			
1	x	11	10015355-3K	Green	175	6	6 lbs.	x			
1	x	11	10015355-5K	Pink	175	6	6 lbs.	x			

All wristband part numbers are perforated

#### Z-Band Comfort Kit

Direct thermal, white, soft, flexible polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
	x	L									
1	x	11	10010951K	White	300	6	6 lbs.	x			x
1.1875	x	11	10011963K	White	300	6	6 lbs.	x			
0.75	x	11	10011952K	White	300	6	6 lbs.	x			
1	x	11	10010951-1K	Red	300	6	6 lbs.	x			
1	x	11	10010951-2K	Blue	300	6	6 lbs.	x			
1	x	11	10010951-3K	Green	300	6	6 lbs.	x			
1	x	11	10010951-4K	Purple	300	6	6 lbs.	x			
1	x	11	10010951-5K	Pink	300	6	6 lbs.	x			
1	x	11	10010951-6K	Orange	300	6	6 lbs.	x			
1	x	11	10010951-7K	Yellow	300	6	6 lbs.	x			
1	x	6	10011953K	White	600	6	6 lbs.	x			x
1	x	7	10011954K	White	500	6	6 lbs.	x			x

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band Direct Kit

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
0.75	x	11	10006997K	White	200	6	6 lbs.	x			
1	x	11	10006995K	White	200	6	6 lbs.	x			x
1	x	11	10006995-1K	Red	200	6	6 lbs.	x			
1	x	11	10006995-2K	Blue	200	6	6 lbs.	x			
1	x	11	10006995-3K	Green	200	6	6 lbs.	x			
1	x	11	10006995-4K	Purple	200	6	6 lbs.	x			
1	x	11	10006995-5K	Pink	200	6	6 lbs.	x			
1	x	11	10006995-6K	Orange	200	6	6 lbs.	x			
1	x	11	10006995-7K	Yellow	200	6	6 lbs.	x			
1.1875	x	11	10006996K	White	200	6	6 lbs.	x			
1	x	6	10006998K	White	350	6	6 lbs.	x			
1	x	7	10006999K	White	300	6	6 lbs.	x			x

All wristband part numbers are perforated

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Soft Infant Z-Band Direct Kit

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
0.75	x	7.6875	10007746K	White	275	6	5 lbs.	x			

#### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	7	10007003K^	White	390	3	6 lbs.	x			
1.1875	x	11	10007000K*	White	260	4	6 lbs.	x			

**QuickClip** - Must be ordered in carton quantities.

^(1 x 7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

\*(1.1875 x 11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack	WI	GA	TX	CA
97032-Red	Red	275	x			
97032-Blue	Blue	275	x			
97032-Green	Green	275	x			
97032-Yellow	Yellow	275	x			
97032-Pink	Pink	275	x			
97032-Purple	Purple	275	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band Fun Wristband Cartridge

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	10012713-1K	Red	350	6	6 lbs.	x			
1	x	10	10012713-2K	Yellow	350	6	6 lbs.	x			
1	x	10	10012713-3K	Blue	350	6	6 lbs.	x			
1	x	10	10012713-4K	Green	350	6	6 lbs.	x			
1	x	10	10012713-5K	Pink	350	6	6 lbs.	x			
1	x	10	10012713-6K	Orange	350	6	6 lbs.	x			
1	x	10	10012713-7K	Purple	350	6	6 lbs.	x			
1	x	10	10012713-WK*	All Colors	350	7	7 lbs.	x			

All wristband part numbers are perforated

\*Week of Fun kit contains 1 cartridge of each color – Red, Yellow, Blue, Green, Pink, Orange, Purple

#### Z-Band Splash Wristband Cartridge

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	10012717-1K	Red	350	6	6 lbs.	x			
1	x	10	10012717-2K	Yellow	350	6	6 lbs.	x			
1	x	10	10012717-3K	Blue	350	6	6 lbs.	x			
1	x	10	10012717-4K	Green	350	6	6 lbs.	x			
1	x	10	10012717-5K	Pink	350	6	6 lbs.	x			
1	x	10	10012717-6K	Orange	350	6	6 lbs.	x			
1	x	10	10012717-7K	Purple	350	6	6 lbs.	x			

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - RFID

### UHF RFID Wristbands

#### *Direct Thermal UHF Wristband - Adhesive*

A direct thermal UHF RFID wristband with a tamper evident adhesive tab for securement. Designed for 1-day use at amusement parks, festivals, sporting events, and concerts. Pair with Zebra's ZD500R printer.

1" ID 5" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	10018345	Yellow	125	4	10 lbs.	x			

All wristband part numbers are perforated

#### *Direct Thermal UHF Wristband - Clip*

A direct thermal UHF RFID wristband with a clip closure for securement. Designed for 1-day use at amusement parks, festivals, sporting events, and concerts. Pair with Zebra's ZD500R printer.

1" ID 5" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
1.1875	x	11	10018346K	Yellow	125	4	10 lbs.	x			

Kit includes 4 rolls of wristbands and 500 white clips

### HF RFID Wristbands

#### *Non-printable HF Wristband - Adhesive*

A non-printable HF RFID wristband with a tamper evident adhesive tab for securement. Designed for multi-day use at amusement parks, festivals, sporting events, and concerts.

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
W	x	L									
1	x	10	10018343	Yellow	125	4	10 lbs.	x			

All wristband part numbers are perforated

#### *Non-printable HF Wristband - Clip*

A non-printable HF RFID wristband with a clip closure for securement. Designed for multi-day use at amusement parks, festivals, sporting events, and concerts.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight	WI	GA	TX	CA
W	x	L									
1.1875	x	11	10018344K	Yellow	125	4	10 lbs.	x			

Kit includes 4 rolls of wristbands and 500 white clips

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Non-Printable

### Alert Solutions - see datasheet on Access Zebra for more information

#### Spot Alert Labels

Spot-alert color-coded labels can be adhered to any wristband and feature a strong adhesive that causes the label to tear if tampered with. They are available in standard color and designation combinations to support the most critical patient conditions.

Alert Designation	Sheet Size W x L	Part #	Color	Labels/ Form	Forms/ Case	Case Weight	WI	GA	TX	CA
Allergy	2.5 x 3.5	LB-ALERT-ALLERGY	Red	12	1,000	3 lbs.	x			
Fall Risk	2.5 x 3.5	LB-ALERT-FALLRISK	Yellow	12	1,000	3 lbs.	x			
Latex Allergy	2.5 x 3.5	LB-ALERT-LATEXALLERGY	Green	12	1,000	3 lbs.	x			
DNR	2.5 x 3.5	LB-ALERT-DNR-PUR	Purple	12	1,000	3 lbs.	x			
Limb Alert	2.5 x 3.5	LB-ALERT-LIMBALERT	Pink	12	1,000	3 lbs.	x			
All	2.5 x 3.5	LB-ALERT-AZ	All	12	1,000	3 lbs.	x			

Each sheet contains (6) labels sized 1.3125" x 0.375" and (6) labels sized 0.75" x 0.25"

#### Slim Alert Wristbands

These color-coded vinyl clip-closure wristbands are pre-printed with patient conditions.

Alert Designation	Size W x L	Part #	Color	Bands/ Case	Case Weight	WI	GA	TX	CA
Allergy	0.625 x 10	PS-ALLERGY-RED	Red	500	3 lbs.	x			
Fall Risk	0.625 x 10	PS-FALLRISK-YEL	Yellow	500	3 lbs.	x			
Latex Allergy	0.625 x 10	PS-LATEXALLERGY-GRE	Green	500	3 lbs.	x			
DNR	0.625 x 10	PS-DNR-PUR	Purple	500	3 lbs.	x			
Limb Alert	0.625 x 10	PS-LIMBALERT-PNK	Pink	500	3 lbs.	x			
Blank	0.625 x 10	PS-BLANK-PUR	Purple	500	3 lbs.	x			

#### Tyvek® Alert Wristbands

These color-coded Tyvek adhesive closure wristbands are pre-printed with patient conditions.

Alert Designation	Size W x L	Part #	Color	Bands/ Case	Case Weight	WI	GA	TX	CA
Allergy	1 x 10	TY-ALLERGY	Red	1,000	2 lbs.	x			
Fall Risk	1 x 10	TY-FALLRISK	Yellow	1,000	2 lbs.	x			
Latex Allergy	1 x 10	TY-LATEXALLERGY	Green	1,000	2 lbs.	x			
DNR	1 x 10	TY-DNR-PUR	Purple	1,000	2 lbs.	x			
Limb Alert	1 x 10	TY-LIMBALERT	Pink	1,000	2 lbs.	x			
Isolation	1 x 10	TY-ISOLATION	Green	1,000	2 lbs.	x			
No Needles, No Blood Pressure	1 x 10	TY-NOSTICKNOBP	Pink	1,000	2 lbs.	x			
Obstructive Sleep Apnea	1 x 10	TY-OSARISK	Blue	1,000	2 lbs.	x			
Blank	1 x 10	TY-BLANK-SIL	Silver	1,000	2 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Non-Printable

Enable responders to quickly and accurately identify, record and track people and their personal items at the scene of an emergency with a customizable StatBand. Zebra's durable moisture and abrasion resistant identification tags feature a patented fastening system for quick securement. They are also compatible with emergency response and disaster management software for easy implementation.

### STATBand - see datasheet on Access Zebra for more information

#### *Triage Band*

This all-in-one wristband and triage tag with uniquely numbered barcode labels enables responders to quickly and accurately identify, record and track the injured at the scene of an emergency.

Size			Part #	Labels/ Band	Bands/ Case	Case		GA	TX	CA
W	x	L				Weight	WI			
3	x	17.5	SB-TRIAGE	15	500	6 lbs.	x			

#### *EMS Band*

The EMS Statband enables responders to quickly and accurately identify, record and track the injured. The flexible design allows it to be used for triage, accident/casualty scenes or everyday emergencies by removing the color-coded identifiers.

Size			Part #	Labels/ Band	Bands/ Case	Case		GA	TX	CA
W	x	L				Weight	WI			
1.25	x	19.5	SB-EMS	11	250	2 lbs.	x			

#### *Evacuation Band*

The Evacuation Statband enables responders to quickly and accurately identify, record and track multiple family members, pets and personal items so they can be reunited in case of separation during an emergency evacuation.

Size			Part #	Labels/ Band	Bands/ Case	Case		GA	TX	CA
W	x	L				Weight	WI			
2.625	x	14.375	SB-E-VAC	6	500	6 lbs.	x			

#### *Rapid ID Band*

This tag contains preprinted and uniquely numbered barcodes and labels to enable caregivers the ability to track patients, their belongings and other information in everyday emergency response situations.

Size			Part #	Labels/ Band	Bands/ Case	Case		GA	TX	CA
W	x	L				Weight	WI			
1.25	x	17.5	SB-RAPID	5	1,000	5 lbs.	x			

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Wristband Media - Non-Printable

### OmniBand

See datasheet on Access Zebra for more information

Healthcare providers currently printing barcode labels can quickly implement barcode wristbands by placing a laser or thermal barcode label on Zebra's self-laminating OmniBand wristband—without the need for IT support.

Wristband Length	Max Label Size			Part #	Extender		Bands/ Case					
	W	x	L		Length	Color	Case	Weight	WI	GA	TX	CA
10	3.25	x	1.00	LB2-ADULT-WL3	3.25	White	1,000	10 lbs.	x			
10	3.25	x	1.00	LB2-ADULT-WL3-RED	3.25	Red	1,000	10 lbs.	M			
10	3.25	x	1.00	LB2-ADULT-WL3-BLU	3.25	Blue	1,000	10 lbs.	x			
10	3.25	x	1.00	LB2-ADULT-WL3-ORA	3.25	Orange	1,000	10 lbs.	x			
8	2.25	x	0.75	LB2-PED-WL3	2.625	White	1,000	7 lbs.	x			

Sheet measures 4.25" x 11"

500 sheets per case containing (2) wristbands and (2) wristband extenders each

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

# Zebra Zip Ship Media



SEE MORE.  
DO MORE.

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

# Zebra ZipShip Ribbons



Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

Zebra Ribbons									
Wax		Wax/Resin			Resin				
2000 Standard		5555 Enhanced			5095 Performance				
2100 Enhanced		3200 Performance			5100 Premium				
5319 Performance		5586 Premium			Image Lock				
Ribbon	Material Compatibility	Darkness Setting		Print Speed		Smear/Scratch Resistance		Chemical Resistance	
		Low	High	Low	High	Low	High	Low	High
2000 Standard	Coated Paper	█	█	█	█	█	█	█	█
2100 Enhanced	Coated Paper	█	█	█	█	█	█	█	█
5319 Performance	Uncoated/Coated Paper	█	█	█	█	█	█	█	█
5555 Enhanced	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
3200 Performance	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
5586 Premium	Matte Synthetics	█	█	█	█	█	█	█	█
5095 Performance	Matte/Gloss Synthetics	█	█	█	█	█	█	█	█
5100 Premium	Gloss Synthetics	█	█	█	█	█	█	█	█
Image Lock	Z-Xtreme 5000T and 8000T Image Lock	█	█	█	█	█	█	█	█

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

# Zebra ZipShip Ribbons



		Ribbon					
		Printer	Core Size	Max Length		Max Width	
Tabletop/Industrial		S4M™	1"	25.4mm	1476'	450m	4.3" 110mm
		Z4MPlus™/ZM400™	1"	25.4mm	1476'	450m	4.3" 110mm
		Z6MPlus™/ZM600™	1"	25.4mm	1476'	450m	6.9" 174mm
		105SL™/105SLPlus™	1"	25.4mm	1476'	450m	4.5" 114mm
		110XiIIIPlus™ / 110Xi4™	1"	25.4mm	1476'	450m	4.3" 110mm
		140XiIIIPlus™ / 140Xi4™	1"	25.4mm	1476'	450m	5.1" 130mm
		170XiIIIPlus™ / 170Xi4™	1"	25.4mm	1476'	450m	6.8" 174mm
		220XiIIIPlus™ / 220Xi4™	1"	25.4mm	1476'	450m	8.6" 220mm
		ZT220™	1"	25.4mm	984'	300m	4.3" 110mm
	ZT230™	1"	25.4mm	1476'	450m	4.3" 110mm	
Desktop		LP 2824™ Series / LP 2824 Plus™	Direct Thermal		N/A	N/A	N/A N/A
		TLP 2824™ Series / TLP 2824 Plus™	0.5"	12.7mm	244'	74m	2.2" 58mm
		LP 2844™ Series	Direct Thermal		N/A	N/A	N/A N/A
		TLP 2844™	0.5"	12.7mm	242'	74m	4.3" 110mm
		TLP 2844-Z™	0.5"	12.7mm	244'	74m	4.3" 110mm
		TLP 3842™	0.5"	12.7mm	244'	74m	4.3" 110mm
		TLP 3844-Z™	0.5"	12.7mm	244'	74m	4.3" 110mm
		H 2824-Z™	Direct Thermal		N/A	N/A	N/A N/A
		G-Series™	0.5"	12.7mm	244'	74m	4.3" 110mm
	GT800™ <sup>^</sup>	0.5"/1"	12.7mm/25.4mm	984'	300m	4.3" 110mm	
Mobile		QL™ Series / QL Plus™ Series	Direct Thermal		N/A	N/A	N/A N/A
		MZ™ Series	Direct Thermal		N/A	N/A	N/A N/A
		iMZ220™ / iMZ320™	Direct Thermal		N/A	N/A	N/A N/A
		RW™ Series / RW™420 Print Station	Direct Thermal		N/A	N/A	N/A N/A
		EM220™	Direct Thermal		N/A	N/A	N/A N/A
		PA403™	Direct Thermal		N/A	N/A	N/A N/A
		PS 2122™	Direct Thermal		N/A	N/A	N/A N/A
		PT400™ / PT403™	Snap-in ribbon cartridge		52'	16m	4.3" 110mm
		P4T™	Snap-in ribbon cartridge		98.4'	30m	4.3" 110mm
	QLn™ Series	Direct Thermal		N/A	N/A	N/A N/A	
Specialty		R110Xi™	1"	25.4mm	1476'	450m	4.3" 110mm
		R170Xi™	1"	25.4mm	1476'	450m	6.8" 174mm
		R402™	0.5"	12.7mm	244'	74m	4.3" 110mm
		R2844-Z™	0.5"	12.7mm	244'	74m	4.3" 110mm
		R4Mplus™	1"	25.4mm	1476'	450m	4.3" 110mm
		ZE500-4™	1"	25.4mm	1970'	600m	4.3" 110mm
		ZE500-6™	1"	25.4mm	1970'	600m	7.1" 110mm
		110PAX4™	1"	25.4mm	2995'	900m	4.3" 110mm
		170PAX4™	1"	25.4mm	2995'	900m	7.1" 180mm
	RP4T™	Snap-in ribbon cartridge		98.4'	30m	4.3" 110mm	

<sup>^</sup>Available in Latin America and China only

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

## Tabletop/Industrial Wax Ribbons

### 2000

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	02000BK04045	24	24	12 lbs.	x	x	x	x
2.36"	60mm	984'	300m	02000BK06030	24	24	13 lbs.	x	x		
2.36"	60mm	1,476'	450m	02000BK06045	24	24	23 lbs.	x	x	x	x
3.27"	83mm	984'	300m	02000BK08330	24	24	16 lbs.	x			
3.27"	83mm	1,476'	450m	02000BK08345	24	24	24 lbs.	x	x	x	x
3.50"	89mm	1,476'	450m	02000BK08945	24	24	25 lbs.	x	x	x	x
4.02"	102mm	1,476'	450m	02000BK10245	24	24	26 lbs.	x	x	x	x
4.16"	106mm	1,476'	450m	02000BK10645	24	24	30 lbs.	x	x	x	
4.33"	110mm	984'	300m	02000BK11030	24	24	21 lbs.	x	x		
4.33"	110mm	1,476'	450m	02000BK11045	24	24	32 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	02000BK13145	24	24	36 lbs.	x	x	x	x
6.16"	156mm	1,476'	450m	02000BK15645	12	12	25 lbs.	x	x	x	x
6.85"	174mm	1,476'	450m	02000BK17445	12	12	25 lbs.	x	x	x	x
8.66"	220mm	1,476'	450m	02000BK22045	12	12	30 lbs.	x	x	x	

### 2100

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	02100BK04045	12	12	5 lbs.	x	x		x
2.36"	60mm	1,476'	450m	02100BK06045	12	12	8 lbs.	x	x		x
3.15"	80mm	1,476'	450m	02100BK08045	12	12	10 lbs.	x	x	x	x
3.50"	89mm	1,476'	450m	02100BK08945	12	12	11 lbs.	x	x	x	x
4.02"	102mm	1,476'	450m	02100BK10245	12	12	13 lbs.	x	x	x	x
4.16"	106mm	1,476'	450m	02100BK10645	12	12	13 lbs.	x	x	x	x
4.33"	110mm	1,476'	450m	02100BK11045	12	12	14 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	02100BK13145	12	12	16 lbs.	x	x		x
6.16"	156mm	1,476'	450m	02100BK15645	12	12	19 lbs.	x	x		
6.85"	174mm	1,476'	450m	02100BK17445	12	12	21 lbs.	x	x		
8.66"	220mm	1,476'	450m	02100BK22045	12	12	26 lbs.	x	x		

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax Ribbons

### 5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
0.94"	24mm	1,476'	450m	05319BK02445	6	24	14 lbs.	x			
1.57"	40mm	1,476'	450m	05319BK04045	6	24	23 lbs.	x	x	x	
2.36"	60mm	1,476'	450m	05319BK06045	6	24	24 lbs.	x	x	x	x
3.27"	83mm	1,476'	450m	05319BK08345	6	24	24 lbs.	x	x	x	x
3.50"	89mm	1,476'	450m	05319BK08945	6	24	28 lbs.	x	x		
4.02"	102mm	1,476'	450m	05319BK10245	6	24	29 lbs.	x	x	x	x
4.33"	110mm	1,476'	450m	05319BK11045	6	24	30 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	05319BK13145	6	24	38 lbs.	x	x	x	x
6.06"	154mm	1,476'	450m	05319BK15445	6	12	25 lbs.	x	x	x	
6.85"	174mm	1,476'	450m	05319BK17445	6	12	27 lbs.	x	x		x
8.66"	220mm	1,476'	450m	05319BK22045	6	12	30 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax/Resin Ribbons

### 5555

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	05555BK04045	6	24	16 lbs.	x	x		
2.36"	60mm	1,476'	450m	05555BK06045	6	24	23 lbs.		x		
3.27"	83mm	1,476'	450m	05555BK08345	6	24	22 lbs.	x		x	x
3.50"	89mm	1,476'	450m	05555BK08945	6	24	25 lbs.	x		x	
4.33"	110mm	1,476'	450m	05555BK11045	6	24	27 lbs.	x	x		x
5.16"	131mm	1,476'	450m	05555BK13145	6	24	34 lbs.	x		x	
6.06"	154mm	1,476'	450m	05555BK15445	6	12	25 lbs.	x			
6.85"	174mm	1,476'	450m	05555BK17445	6	12	25 lbs.	x			
8.66"	220mm	1,476'	450m	05555BK22045	6	12	27 lbs.	x			

### 3200

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	03200BK04045	6	24	12 lbs.	x	x	x	x
2.36"	60mm	984'	300m	03200BK06030	6	24	13 lbs.	x			
2.36"	60mm	1,476'	450m	03200BK06045	6	24	23 lbs.	x	x	x	x
3.15"	80mm	1,476'	450m	03200BK08045	6	24	24 lbs.	x	x	x	x
3.27"	83mm	984'	300m	03200BK08330	6	24	16 lbs.	x			
3.50"	89mm	1,476'	450m	03200BK08945	6	24	25 lbs.	x	x		
4.02"	102mm	1,476'	450m	03200BK10245	6	24	29 lbs.	x	x	x	x
4.33"	110mm	984'	300m	03200BK11030	6	24	21 lbs.	x			
4.33"	110mm	1,476'	450m	03200BK11045	6	24	32 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	03200BK13145	6	24	36 lbs.	x	x	x	
6.16"	156mm	1,476'	450m	03200BK15645	6	12	23 lbs.	x	x	x	x
6.85"	174mm	1,476'	450m	03200BK17445	6	12	25 lbs.	x		x	
8.66"	220mm	1,476'	450m	03200BK22045	6	12	30 lbs.	x		x	

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax/Resin Ribbons

### 5586

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	05586BK04045	6	24	16 lbs.	x	x	x	x
2.36"	60mm	1,476'	450m	05586BK06045	6	24	23 lbs.	x	x		x
3.27"	83mm	1,476'	450m	05586BK08345	6	24	24 lbs.	x	x	x	
3.50"	89mm	1,476'	450m	05586BK08945	6	24	25 lbs.	x			
4.02"	102mm	1,476'	450m	05586BK10245	6	24	29 lbs.	x	x		x
4.33"	110mm	1,476'	450m	05586BK11045	6	24	27 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	05586BK13145	6	24	34 lbs.	x	x		
6.06"	154mm	1,476'	450m	05586BK15445	6	12	25 lbs.	x			
6.85"	174mm	1,476'	450m	05586BK17445	6	12	25 lbs.	x			
8.66"	220mm	1,476'	450m	05586BK22045	6	12	27 lbs.	x			

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Tabletop/Industrial Resin Ribbons

### 5095

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	05095BK04045	6	24	16 lbs.	x	x	x	x
2.36"	60mm	984'	300m	05095BK06030	6	24	13 lbs.	x			
2.36"	60mm	1,476'	450m	05095BK06045	6	24	23 lbs.	x	x	x	x
3.27"	83mm	984'	300m	05095BK08330	6	24	16 lbs.	x			
3.27"	83mm	1,476'	450m	05095BK08345	6	24	22 lbs.	x	x	x	x
3.50"	89mm	1,476'	450m	05095BK08945	6	24	25 lbs.	x	x		x
4.33"	110mm	984'	300m	05095BK11030	6	24	21 lbs.	x	x		
4.33"	110mm	1,476'	450m	05095BK11045	6	24	27 lbs.	x	x	x	x
5.16"	131mm	1,476'	450m	05095BK13145	6	24	34 lbs.	x	x	x	x
6.06"	154mm	1,476'	450m	05095BK15445	6	12	25 lbs.	x	x	x	x
6.85"	174mm	1,476'	450m	05095BK17445	6	12	25 lbs.	x		x	x
8.66"	220mm	1,476'	450m	05095BK22045	6	12	27 lbs.	x		x	

### 5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	1,476'	450m	05100BK04045	6	24	16 lbs.	x			
2.36"	60mm	1,476'	450m	05100BK06045	6	24	16 lbs.	x		x	x
3.27"	83mm	1,476'	450m	05100BK08345	6	24	21 lbs.	x			x
3.50"	89mm	1,476'	450m	05100BK08945	6	24	25 lbs.	x	x		x
4.33"	110mm	1,476'	450m	05100BK11045	6	24	27 lbs.		x	x	x
5.16"	131mm	1,476'	450m	05100BK13145	6	24	34 lbs.	x			
6.06"	154mm	1,476'	450m	05100BK15445	6	12	25 lbs.	x			
6.85"	174mm	1,476'	450m	05100BK17445	6	12	25 lbs.	x			
8.66"	220mm	1,476'	450m	05100BK22045	6	12	27 lbs.	x			

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Resin Ribbons

### Image Lock Resin Ribbon

*To be used with 8000T Image Lock or Z-Xtreme 5000T Media*

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.57"	40mm	984'	300m	74775	6	24	9 lbs.	M			
2.36"	60mm	984'	300m	74776	6	24	12 lbs.	M			
3.15"	80mm	984'	300m	74777	6	24	16 lbs.	M			
3.94"	100mm	984'	300m	74778	6	24	19 lbs.	M			

M = Made to order (Delivery in 3 weeks)

Note: Minimum Order – 6 rolls

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Tabletop/Industrial Color Wax Ribbons

### 5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Core: 1" ID

Width		Length		Part #	Quantity Per		Color/ PMS	Outer Box Weight	WI	GA	TX	CA
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box						
2.36"	60mm	1,476'	450m	05319BL06045	6	24	Blue 2728C	23 lbs.	M			
2.36"	60mm	1,476'	450m	05319RD06045	6	24	Red 185C	23 lbs.	M			
2.36"	60mm	1,476'	450m	05319MN06045	6	24	Maroon 216C	23 lbs.	M			
2.36"	60mm	1,476'	450m	05319GN06045	6	24	Green 334C	23 lbs.	M			
4.33"	110mm	1,476'	450m	05319BL11045	6	24	Blue 2728C	23 lbs.	M			
4.33"	110mm	1,476'	450m	05319RD11045	6	24	Red 185C	23 lbs.	M			
4.33"	110mm	1,476'	450m	05319MN11045	6	24	Maroon 216C	23 lbs.	M			
4.33"	110mm	1,476'	450m	05319GN11045	6	24	Green 344C	23 lbs.	M			

M = Made to order (Delivery in 2 weeks)

## Tabletop/Industrial Ribbon Cores

### Replacement Core Kit

*For use with ZT200 series printers*

Replacement take-up cores for use with ZT200 series tabletop printers. Cores are packaged 12 units per kit.

Width		Part #	Quantity Per		Outer Box Weight	WI	GA	TX	CA
(Inches)	(mm)		Carton	Outer Box					
4.33"	110mm	10015353	12	12	2 lbs.	x			

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

# Zebra ZipShip Ribbons



## Desktop Ribbons

### For use with all 4" desktop printers

#### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	05319GS06407	48	48	8 lbs.	x	x	x	x
3.30"	84mm	244'	74m	05319GS08407	48	48	10 lbs.	x	x	x	x
4.33"	110mm	244'	74m	05319GS11007	48	48	12 lbs.	x	x	x	x

#### 5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	05555GS06407	12	48	8 lbs.	x			
3.30"	84mm	244'	74m	05555GS08407	12	48	10 lbs.	x			
4.33"	110mm	244'	74m	05555GS11007	12	48	12 lbs.	x			

#### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	03200GS06407	12	12	2 lbs.	x	x	x	x
3.30"	84mm	244'	74m	03200GS08407	12	12	3 lbs.	x	x	x	x
4.33"	110mm	244'	74m	03200GS11007	12	12	3 lbs.	x	x	x	x

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### For use with all 4" desktop printers

#### 5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box		WI	GA	TX	CA
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight					
2.50"	64mm	244'	74m	05586GS06407	48	48	8 lbs.	x	x	x	x	
3.30"	84mm	244'	74m	05586GS08407	48	48	10 lbs.	x	x		x	
4.33"	110mm	244'	74m	05586GS11007	48	48	12 lbs.	x	x	x	x	

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box		WI	GA	TX	CA
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight					
2.50"	64mm	244'	74m	05095GS06407	48	48	8 lbs.	x	x	x	x	
3.30"	84mm	244'	74m	05095GS08407	48	48	10 lbs.	x	x	x	x	
4.33"	110mm	244'	74m	05095GS11007	48	48	12 lbs.	x	x	x	x	

#### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box		WI	GA	TX	CA
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight					
2.50"	64mm	244'	74m	05100GS06407	12	48	8 lbs.	M				
3.30"	84mm	244'	74m	05100GS08407	12	48	10 lbs.	M				
4.33"	110mm	244'	74m	05100GS11007	12	48	12 lbs.	M			x	

M = Made to order (Delivery in 2 weeks)

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### Image Lock Resin Ribbon

*To be used with 8000T Image Lock or Z-Xtreme 5000T Media*

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box		WI	GA	TX	CA
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight					
2.50"	64mm	244'	74m	74941	12	48	8 lbs.	M				
3.30"	84mm	244'	74m	74942	12	48	10 lbs.	M				
4.33"	110mm	244'	74m	74943	12	48	12 lbs.	M				

M = Made to order (Delivery in 3 weeks) Note: Minimum Order - 12 rolls

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Desktop Ribbons

### For use with TLP 2824 / TLP 2824 Plus printers

#### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-001	48	48	7.5 lbs.	x	x	x	
2.25"	56.9mm	244'	74m	800132-002	48	48	8 lbs.	x	x	x	x

#### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-101	12	12	2 lbs.	x			
2.25"	56.9mm	244'	74m	800132-102	12	12	3 lbs.	x	x	x	x

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-201	48	48	7.5 lbs.	x		x	
2.25"	56.9mm	244'	74m	800132-202	48	48	8 lbs.	x	x		x

#### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	05100NT03307	12	48	7.5 lbs.	x			
2.25"	56.9mm	244'	74m	05100NT05707	12	48	8 lbs.	x			

NT: No Reflective Trailer

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### For use with GT800 printer - Latin America and China only

#### 2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. Prints at speeds up to 12 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	02000GT06430	24	24	13 lbs.			x	x
3.31"	84mm	984'	300m	02000GT08430	24	24	16 lbs.			x	x
4.33"	110mm	984'	300m	02000GT11030	24	24	21 lbs.			x	x

#### 5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	05555GT06430	24	24	13 lbs.			x	x
3.31"	84mm	984'	300m	05555GT08430	24	24	16 lbs.			x	x
4.33"	110mm	984'	300m	05555GT11030	24	24	21 lbs.			x	x

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	05095GT06430	24	24	13 lbs.			x	x
3.31"	84mm	984'	300m	05095GT08430	24	24	16 lbs.			x	x
4.33"	110mm	984'	300m	05095GT11030	24	24	21 lbs.			x	x

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Mobile Ribbons

### For use with the P4T and RP4T printers

#### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	98'	30m	05555BK110D	10	10	2 lbs.	x	x	x	x

#### 5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	98'	30m	05095BK110D	10	10	2 lbs.	x	x	x	x

### For use with the PT 400 and PT 403 printers

#### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	52'	16m	05555BK110C	10	10	1lb.	x	x	x	x

#### 5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Width		Length		Part #	Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	52'	16m	05100BK110C	10	10	1lb.	x	x	x	x

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Specialty Printer Ribbons

### For use with PAX4 printers

#### 2100 Wax Ribbons

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Width		Length		Part #	Quantity Per		Outer Box				
(inches)	(mm)	(Feet)	(m)		Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	2,955'	900m	02100BK11090	6	6	13 lbs.	M			
5.16"	131mm	2,955'	900m	02100BK13190	6	6	15 lbs.	M			
6.16"	156mm	2,955'	900m	02100BK15690	6	6	18 lbs.	M			
6.85"	174mm	2,955'	900m	02100BK17490	6	6	20 lbs.	M			

M = Made to order (Delivery in 2 weeks)

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

# REDUCE TICKET FRAUD AND REVENUE LOSS



Looking to increase guest spending and reduce ticket fraud? Zebra's new economical, bar coded, print-on-demand wristbands enable cashless point of sale and access management.

- For one-day use: economical **Z-Band® Fun**.
- For multiple days or excessive water exposure: **Z-Band® Splash**

Discover the advantages. Visit [www.zebra.com](http://www.zebra.com).





[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

