





- High-speed output- 34 RPM (180mm/sec)
- Large paper roll capacity- (Up to 7" diameter, 100ft)
- Ticket stacker comes standard (up to 30 tickets)
- "Drop-In & Print" paper loading
- Maintenance in minutes (change cutter or Print head in minutes)
- Adjustable paper widths (45 to 82.5mm adjustable)



TSP1000 Versatile Printer with Receipt / Ticket Stacker

The TSP1000 is a specialty POS solution that offers truly outstanding value, reliability, performance and quality. The TSP1000 high capacity direct thermal printer offers support for up to a 7" diameter paper roll that is ideal for high volume applications. The integrated ticket/document stacker aids in sorting multiple tickets/documents where batch printing is required. Perfect for: lottery, large events, ticketing, industrial kitchen, bar and libraries.



Always Leading - Always Innovating

TSP1000 Specifications

The Complete POS Solution!		
Features	Hardware Ultra Fast 34/39 RPM (180mm/s) "Drop-In & Print" Clamshell Design Adjustable Paper (45mm to 82.5mm) Thick Ticket Support (Up to 0.15mm) Max 30 Sheets Stackable 7- Inch Paper Roll Capacity (800 ft. of receipt) Two Color Print Capable Small Footprint Swappable Communication Interface 1 and 2 Dimensional Barcodes Putty, Gray, Red, Blue Color Housing (Red and Blue are available on special order)	Software Logo Utility (Store Logos, Coupons, and Graphics) Automatic Second Copy with Raster Driver Memory Switch Configuration / Setup Utility Ethernet Interface Setup Utility
Connectivity Note: Connections in bold are supported; grayed-out connection types may be supported by special demand.	9-pin Serial 25-pin Serial Parallel USB Powered USB Ethernet WiFi	Dual 9-Pin Serial / USB Virtual Serial Port to USB Virtual Serial Port to Ethernet
Drivers Note: Drivers in bold are immediately available; grayed-out operating systems may be supported on request.	Windows 98, ME NT 4.0 WEPOS 2000, XP CE XP Embedded VISTA 32 or 64 bit	OPOS Java POS Linux Mac OSX
What's Included	Paper Stopper Power Switch Cover User Manual Ferrite Core (Parallel, USB, Ethernet Models) TSP1000 receipt printer with cutter and stacker	
Optional Accessories	External Power Supply (PS60A) Integrated Buzzer (BU01-24-A) Putty or Gray color housing	
Technical Specifications	Print Method : Direct Thermal Print Speed : 34/39 RPM(Receipt Per Minute) (180mm/s) Paper Width : 45mm to 82.5mm Paper Thickness : 0.065 to 0.15mm Paper Diameter : Maximum 7" (180mm) Stacker Capacity : Max 30 Sheets Emulation : Star Line Mode, Star Page Mode, ESC/POS	Power : 24VDC Resolution : 203 dpi MCBF : 60 Million Lines Cutter : 1 Million Cuts Dimensions : W=161mm, H=249mm, D=307mm
Warranty	For US and Canada: 3-year Limited Warranty, plus optional Extended Services Agreement Policies (Extend-A-Star and Swap-A-Star)	
For Further Information	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: http://www.starmicronics.com





www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

Get in touch with us
on social media!

