


CN3 Series


Accessory Guide


Unless otherwise indicated, all accessories support both the CN3 and the CN3e mobile computer.


Handheld RFID Reader


Accessory Name	Part Number	Description
IP30 		
	Multiple configuration numbers. Consult the price guide.	A reader that snaps onto the bottom of CN3 Series devices as a passive UHF RFID handle.


Docks and Modules

Accessory Name	Part Number	Description
Single Dock 	871-025-001	USB Host and Client Support with bay for charging an auxiliary battery pack. (7.5"L x 4.0"W x 2.3"T) Requires Power Supply 851-082-003 and country-specific AC power cord. Optional: Single Dock Ethernet or Modem Modules.

Single Dock Ethernet Module 	871-025-101	CN3 Series Ethernet Module interfaces with USB Host connector on Single Dock, p/n 871-025-001. (1.5"L x 2.5"W x 1"T)
---	-------------	--

Single Dock Modem Module 	871-025-102	CN3 Series v.92 Modem Module interfaces with USB Host connector on Single Dock, p/n 871-025-001. (1.5"L x 2.5"W x 1"T) LEDs to indicate DTR, DCD, TX and RX status.
---	-------------	---

Multi-Dock 	871-026-001	4-slot Ethernet dock provides extra port allowing for ability to link up to three (3) multidocks. (17.2"L x 3.75"W x 2.3" T) Requires Power Supply 851-075-003 and country-specific AC power cord.
---	-------------	--





Multi-Dock, Charge Only 	871-026-002	Allows for charging up to 4 devices. Requires power supply 851-075-003 and country specific power cord. (17.2"L x 3.75"W x 2.3" T)
--	-------------	--

Multi-dock Wall Mount Kit	203-641-002	Allows for mounting of one CN3 Series Ethernet or Charge Only Multi-Dock to vertical wall surface. (Used with 700 series too.)
---------------------------	-------------	--

CN₃ Series

Accessories Guide

Docks and Modules

Accessory Name	Part Number	Description
Vehicle Dock 	871-027-001 (CN3) 871-027-101 (CN3e)	<p>Provides 3.5 mm headphone (output) jack to allow for integration into the vehicle audio system. Cabled RS232 or USB Host support is also available. Requires use of Intermec RS232 Serial cable (p/n 225-737-001) or Intermec USB cable VE011-2016.</p> <p>Handsfree speakerphone capabilities will be supported via standard, off-the-shelf Bluetooth headset and handsfree speakerphone systems.</p> <p>The CN3 Series vehicle dock uses the same mounting system (p/n 805-611-001) and vehicle power kits (see below) as the 700 Series vehicle dock. (5.65" L x 5.31" W x 2.84" T)</p>
Vehicle Dock Install Kit	203-802-001	Preferred Solution. For connection of Vehicle Dock (871-027-001) directly to vehicle battery. Includes power cables and cable mounting hardware. Order instructions (962-000-021) separately.
Vehicle Dock Fuse Block Power Kit	203-803-001	Provides connection to vehicle fuse block. Requires Power Cable (226-109-003). Order instructions (962-040-004) separately.
Vehicle Dock Serial Cable	225-737-001	Adapts CN3 Series Vehicle Dock Comm Connector to RS232 Serial (DB9M) for connectivity to serial peripherals.
Cable, Power, Dock to Fuse Block	226-109-003	Used with Vehicle Dock Fuse Block Power Kit 203-803-001.
Vehicle Dock Mounting Kit 	805-611-001	Allows mounting of Vehicle Dock (871-027-001) in route vehicle applications. Consists of one 4 ³ / ₄ " adjustable pivot arm with two 1 ¹ / ₂ " stainless steel balls, and assembly hardware. Due to wide range of possible applications, this kit does not include hardware for securing mount to vehicle. (Same as used with 700 Series.)
Auto Adapter, V-Docks, 35 Circular 	852-057-005	Auto Cigarette Lighter Adapter used to power the CN3 Series Vehicle Dock (871-027-001). Connects to 3-pin circular power supply found on back of the v-dock.
Single USB Cable 	VE011-2016	Adapts CN3 Series Vehicle Dock Comm Connector to USB-A Female for connectivity to USB peripherals. Optional: Use 203-810-001 Cable Retainer Kit to secure USB connectors.



CN3 Series

Accessories Guide

Holsters & Handles

Accessory Name	Part Number	Description
Standard Belt Holster	815-060-001 (CN3) 815-065-001 (CN3e)	Lightweight holster designed for use with handheld applications where scan handle is not required. Includes integrated belt clip that allows for easy attachment to belt.
Scan Handle Kit	203-839-001	Customer-installable scan handle
Scan Handle Belt Holster	815-062-001	Belt holster designed for use with handheld applications requiring scan handle support.
Kit, CN3 Series Scan handle	203-839-001	Customer installable. Use of scan handle requires CN3 handheld unit with an "H" in position #6 of the configuration part number. All CN3E configurations support the scan handle.
Holster, CN3LK w/Scan Handle RoHS	815-062-001	Holster for use with CN3 and CN3E when using scan handle.



Snap-on Adapters

Accessory Name	Part Number	Description
Mag Strip Reader 	850-557-001	Attaches to heel of CN3 Series devices and provides magnetic stripe reader. Optional: Power Supply (851-089-003) and country-specific AC power cord.
RS232 Snap-on, RoHS Adapter 	850-558-001	Snap-on adapter for enabling RS232 or DEX cabled support from bottom of CN3 or CN3e. Must order cables separately. Adapter provides DB9M connector. Must order DEX cable p/n# 236-194-001 separately. Supports use of auto power charger p/n# 852-066-001 or AC power supply 851-089-003.
USB Pass-through Snap-on Adapter	850-559-001	Snap-on adapter for enabling USB host or client communications from bottom of CN3 or CN3e. Must order cables separately. Adapter provides DB15M connector. Requires use of USB adapter cable p/n VE011-2016. Supports use of auto power charger p/n# 852-066-001 or AC power supply 851-089-003.
Ethernet Snap-on, RoHS Adapter	850-560-001	Supports RJ45 connection. Must purchase cable separately. Supports use of auto power charger p/n# 852-066-001 or AC power supply 851-089-003.
Power/Audio Snap-on, RoHS Adapter	850-561-001	Snap-on power adapter recommended for in-field charging solutions not requiring vehicle dock. Also provides 3.5mm standard audio jack for use of headset with right angle connector. Supports use of auto power charger p/n# 852-066-001 or AC power supply 851-089-003.


CN3 Series

Accessories Guide

Batteries and Chargers

Accessory Name	Part Number	Description
STD Capacity Battery Pack	318-016-001 (CN3)	One (1) standard 8.1 watt hours battery pack for the CN3 mobile computer.
		
EXT Capacity Battery Pack	318-016-002	One (1) extended 14.8 watt hours battery pack for CN3 Series.
Quad Battery Charger	852-065-001	Charges four CN3 Series battery packs. Requires Power Supply 851-082-003 and country-specific AC power cord.
		




Cables

Accessory Name	Part Number	Description
RS232 Cable, DB9 F to DB25 M, 6 feet	226-084-002	Connects Vehicle Dock RS232 Adapter (225-737-001) to External Modem, 6820 Printer, or other serial device.
USB-A to USB-B Cable, 2 meter	321-576-004	Use with CN3 Series Single Dock (871-025-001) or Vehicle Dock USB Adapter Cable for ActiveSync (VE011-2016) connection to PC USB port. Also connects to peripherals equipped with USB-B Female jack.
USB-A to USB-Mini B Plug Cable, 2 meter	321-611-102	Use with CN3 Series Single Docks (871-025-001) or Vehicle Dock USB Adapter Cable (VE011-2016) for connection to PB42 printer or other peripherals equipped with USB-Mini B Female jack.
DB9 to DEX, RoHS Cable	236-194-001	For use with Snap-on RS232/DEX Adapter (850-558-001). Includes thumb screws for secure attachment.
		
Cable, Vehicle Power RoHS	236-065-001	Split (Y) Power Cable from Trck battery Cable (206-875-xxx) to PB42 (or PB42 Vehicle Cradle), CK60 or CN3 Series Vehicle Dock
NF Cable, Developers CN3/ CV30	VE011-2018	For use with USB Snap-on adapter (p/n 850-559-001) to support USB active sync/client requirements.

CN3 Series

Accessories Guide

Power Supplies and Adapters

Accessory Name	Part Number	Description
Universal Power Supply, 12VDC, 35kt Output	851-075-003	Use with CN3 Series Multi-docks (871-026-001 & 871-026-002). Order country-specific AC power cord separately.
Universal Power Supply, 12VDC 50W FW5012	851-082-003	Use with CN3 Series Single Dock (871-025-001) or CN3 Series Quad Battery Charger (852-065-001). Order country-specific AC power cord separately.
Universal Power Supply, 5V FW1805 2.35x0.7	851-089-003	AC power supply with barrel jack. Allows for charging CN3 Series devices without a dock, however requires use of CN3 Series Power Adapter (851-090-001) or CN3 Series MSR Snap-on Adapter (850-557-001). Order country-specific AC power cord separately.
		
Universal Power Supply 12VDC 8A CEC/RoHS	851-064-106	NORTH AMERICA, AUSTRALIA, AND NEW ZEALAND USE ONLY. Use with CN3 Series Multidocks (871-026-001 & 871-026-002). Order country-specific AC power cord separately.
Universal Supply 12V 2.5x5.5 FWC5012 CEC/RoHS	851-082-103	NORTH AMERICA USE ONLY. SEE 851-082-003 FOR USE OUTSIDE NORTH AMERICA. Use with CN3 Series Single Dock (871-025-001) or CN3 Series Quad Battery Charger (852-065-001). Order country-specific AC power cord separately.
Universal Supply 5V FWC1805 2.35x0.7 CEC/RoHS	851-089-103	NORTH AMERICA USE ONLY. SEE 851-089-003 FOR USE OUTSIDE OF NORTH AMERICA. AC power supply with barrel jack. Allows for charging CN3 Series without a dock, however requires use of CN3 Series Power Adapter (851-090-001) or any of the CN3 Series Snap-on Adapters (See Snap-on Adapters Section below). Order country specific AC power cord separately.
AC/DC Power Adapter	851-090-001	Attaches to the bottom of the CN3 Series device's docking connector to support barrel jack connections. Allows for use of Universal AC Power supply (851-089-003) or the Auto Cigarette Lighter Power Adapter (852-066-001).
		
Auto Power Adapter, RoHS	852-066-001	Auto Cigarette Lighter Adapter with barrel jack that allows for charging CN3 handheld. Requires use of AC/DC Power Adapter (851-090-001).
		

CN3 Series

Accessories Guide

RFID

Accessory Name	Part Number
----------------	-------------

NF IP30A, BT, CN3/CN3E 869MHz, ETSI, ROHS	IP30A0B3002
--	-------------

NF IP30A, BT, CN3/CN3E 869MHz, ETSI, ROHS	IP30A0B3003
--	-------------

NF IP30A,BT, CN3/CN3E, 915MHz, ROHS	IP30A0B3014
--	-------------

NF IP30A,USB CN3, 915MHz, ROHS	IP30A0U3014
-------------------------------------	-------------

NF IP30A, USB, CN3E, 865MHz, ROHS	IP30A0U4012
--	-------------

NF IP30A, USB, CN3E, 915MHz, ROHS	IP30A0U4014
--	-------------

NF IP30A, USB, CN3E, 915MHz, ROHS	IP30A0B6004
--	-------------

Replacement Parts

Accessory Name	Part Number	Description
----------------	-------------	-------------

Cable Retainer Replacement Kit	203-810-001	Contains five (5) sets of Cable Retainers used to secure USB connections.
-----------------------------------	-------------	--

Screen Cleaner Kit, Pre-Moist Wipes	346-065-101	Includes 24 pre-moistened, non-abrasive, non-streaking 4x7" wipes.
--	-------------	---

Screen Protector, 10 Each	346-069-107	Contains ten (10) self-adhesive screen protectors.
------------------------------	-------------	---

Screen Protector, CN3 or CK3, 25 Ea RoHS	346-069-207	Contains twenty-five (25) self-adhesive screen protectors
---	-------------	--

Kit, Stylus,tethered CN3 Series(5 pack)	203-812-001	Contains five (5) replacement styli with tether
--	-------------	---

Kit, Handstrap, CN3 (5 pack)	203-814-001	Contains five (5) sets of replacement handstraps.
------------------------------	-------------	--

Handstrap, Kit, CN3e, (5 Pack)	203-853-001	Contains five (5) sets of replacement handstraps.
--------------------------------	-------------	--



Copyright © 2009 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 611852-01E 04/09



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

Get in touch with us
on social media!

