Epson

CaptureOne™ Check Scanner



- Ideal for BOC and RDC applications
- 30, 60 and 90 DPM units available
- Most accurate MICR in the industry
- Electronic endorsement
- Built-in franker
- Double check detector
- Flexible 2-pocket support
- 100-check document feeder
- Industry-leading two-year warranty

Now retailers can take advantage of all the costsaving benefits of Remote Deposit Capture with Epson's CaptureOne™ desktop check scanner.

CaptureOne offers innovative features, the highest MICR accuracy available and the quality and reliability Epson is known for all in one easy-to-use, compact design.

Leading MICR accuracy and advanced features

Epson's CaptureOne check scanner is ideal for retailers that want to capture checks using back office capture (BOC), remote deposit capture (RDC) or a combination of the two. Our check scanner comes in a 30, 60 or 90 DPM version and features the Progressive MICR Method and advanced imaging to provide the highest MICR accuracy of any desktop scanner on the market today. CaptureOne also features clear electronic endorsements, a double check detector that virtually eliminates double check feeding and a built-in franker that prints a static message on checks to prevent double processing.

Flexibility to meet application requirements

CaptureOne comes with two pocket support as a standard feature. This gives you the flexibility to process exceptions, on-us checks or segregate different types of documents such as checks and payment coupons. In addition, our 100-sheet document feeder is also standard.

Easy to use. Easy to maintain

Whether you use CaptureOne for BOC or RDC applications, we designed it to be easy to use and maintain. The check scanning process is simple and tasks like undoing a jam or replacing the franker unit are quick and easy with no special training required. CaptureOne also features advanced self-diagnostics which keep the operator informed of the scanner status and when it is time for maintenance.

Epson quality and reliability

With a MCBF of 2.47 million documents, CaptureOne has the reliability you need. And only Epson offers you a Spare-In-The Air® support plan that sends replacement units overnight when needed.

Industry-leading warranty

Unlike other check scanners, CaptureOne is the only check scanner available that comes with a standard two-year warranty.



Epson Capture One™ Check Scanner

General Scanner type Resolution Scanning mode Reformance Transport speed Scanning speed Scanning speed Scanning speed Scanning speed Transport speed Scanning speed Scanni	Scanner Specifications		CaptureOne
Resolution Scanning mode Black and white, 256 shade grayscale Performance Transport speed Scanning speed Scanni	General	Scanner type	CIS (Contact Image Sensor)
Scanning mode Performance Transport speed Scanning		Resolution	
Transport speed Scanning speed 30 DPM model – up to 60 DPM; 90 DPM model – up to 90 DPM MICR Progressive MICR method MICR symbologies CMC7 and E13B Media Personal and businessesize checks Document specifications Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows* 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate CCITT Group 4, JPEG Data transmission format Reliability Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Scanning mode	
Scanning speed 30 DPM model – 30 DPM; 60 DPM model – up to 60 DPM; 90 DPM model – up to 90 DPM MICR Progressive MICR method MICR symbologies CMC7 and E13B Media Personal and business-size checks Document specifications Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets 2 pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows* 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Performance	
90 DPM model – up to 90 DPM MICR Progressive MICR method CMC7 and E13B Media Personal and business-size checks Document specifications Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows" 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Transport speed	500mm/sec
MICR symbologies CMC7 and E13B Media Personal and business-size checks Document specifications Length: 120mm - 235mm (approx 4.8" to 9") Height: 65mm - 125mm (approx 2.5" to 4.9") Thickness: .075mm200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF - 100 sheets Subpocket #1 - 100 sheets Subpocket #2 - 50 sheets Interface USB 2.0 Supported OS Microsoft Windows* 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate CCITT Group 4, JPEG Data transmission format Reliability 1,000,000 documents Memory for scanning AMB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight		Scanning speed	
MCR symbologies Media Personal and business-size checks Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows* 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ullimate CCITT Group 4, JPEG Data transmission format Reliability 1,000,000 documents Memory for scanning OCR Electronic endorsement Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Meight Approximately 4Kg (8.8lb)			·
Media Personal and business-size checks Document specifications Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets 2 pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows* 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista [32 bit or 64 bit] with SP1 Home Basic, Home Premium, Business or Ultimate CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E138, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight		MICR	Progressive MICR method
Length: 120mm – 235mm (approx 4.8" to 9") Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets USB 2.0 Supported OS Microsoft Windows** 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR Electronic endorsement Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		MICR symbologies	CMC7 and E13B
Height: 65mm – 125mm (approx 2.5" to 4.9") Thickness: .075mm – .200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP1 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate CCITT Group 4, JPEG Data transmission format Reliability 1,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 1,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight			
Thickness: .075mm200mm (approx .003" to .008") Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets 2 pockets Pocket capacities ASF - 100 sheets Subpocket #1 - 100 sheets Subpocket #2 - 50 sheets Interface USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format TIFF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Document specifications	Length: 120mm - 235mm (approx 4.8" to 9")
Weight: 60 to 120 g/m2 (approx 16lb to 32lb) Pockets 2 pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format TIFF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)			Height: 65mm – 125mm (approx 2.5" to 4.9")
Pockets 2 pockets Pocket capacities ASF – 100 sheets Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format TIFF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)			Thickness: .075mm – .200mm (approx .003" to .008")
ASF - 100 sheets Subpocket #1 - 100 sheets Subpocket #2 - 50 sheets Interface USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format Reliability 11FF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF 1 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)			Weight: 60 to 120 g/m2 (approx 16lb to 32lb)
Subpocket #1 – 100 sheets Subpocket #2 – 50 sheets Interface USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format TIFF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning A MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Pockets	2 pockets
Subpocket #2 – 50 sheets USB 2.0 Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Nicrosoft Windows XP Home or Professional with SP4; Microsoft Windows AP Home		Pocket capacities	ASF – 100 sheets
Interface Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight			Subpocket #1 – 100 sheets
Supported OS Microsoft Windows® 2000 Professional with SP4; Microsoft Windows XP Home or Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight			Subpocket #2 – 50 sheets
Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with SP1 Home Basic, Home Premium, Business or Ultimate Data compression CCITT Group 4, JPEG Data transmission format TIFF, JPEG, Windows® Bitmap, Raw Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Interface	USB 2.0
Data transmission format Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Supported OS	Professional with SP2 and SP3; Microsoft Windows Vista (32 bit or 64 bit) with
Reliability 2,470,000 MCBF Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Data compression	CCITT Group 4, JPEG
Life 1,000,000 documents Memory for scanning 4 MB DRAM OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Data transmission format	TIFF, JPEG, Windows® Bitmap, Raw
Memory for scanning OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Reliability	2,470,000 MCBF
OCR E13B, OCR A and OCR B supported Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Life	1,000,000 documents
Electronic endorsement Logo, graphics or True Type Font can be placed anywhere on image Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Memory for scanning	4 MB DRAM
Franker life 18,000 sheets Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		OCR	E13B, OCR A and OCR B supported
Size 175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3") Weight Approximately 4Kg (8.8lb)		Electronic endorsement	Logo, graphics or True Type Font can be placed anywhere on image
Weight Approximately 4Kg (8.8lb)		Franker life	18,000 sheets
Weight Approximately 4Kg (8.8lb)		Size	175mm x 355mm x 160mm (H x W x D) (approx 6.9" x 14" x 6.3")
		Weight	
		Case color	Epson Dark Gray







www.L-TronDirect.com 800-830-9523 info@L-Tron.com

