



# Advantage<sup>®</sup> Cash Drawers



STOP CASH SHRINKAGE  
WHERE IT STARTS



**LockIt™**  
Compartment



## Features

- Comes standard with LockIt™, a fully integrated secure cash drop compartment
- High-capacity configurable global till
- Upgradeable/interchangeable interfaces
- Large-capacity under-till and media coin roll storage

## Options

- Metal LockIt™ cover
- High security lock
- Locking till cover
- Legacy till conversion kits
- Metal bill weights in global till
- Under counter mounting brackets
- Bell

## Did you know?

- 78% of retailers in a recent survey identified the checkout area as the best place to reduce shrinkage
- Shrinkage can be as high as 24% of sales
- The impact of eliminating cash shrinkage is pure profit. Every dollar that is not lost or taken is a 100% gain to your bottom line



Advantage® Electronic Cash Drawer		
	Dimensions (W x D x H)	Weight
ADV-A1	17.4 x 18.7 x 4.6 in. / 24.55 lbs	
	442 x 475 x 117 mm (W x H x D) / 11.14 kg	
	Shipping Box: 20.9 x 25.20 x 8.6 in	Shipping Weight: 27.58 lbs
	Shipping Box: 408 x 311 x 218 mm	Shipping Weight: 12.51 kg
ADV-B1	18 x 16.7 x 4.6 in / 23.55 lbs	
	457 x 424 x 117 mm / 10.68 kg	
	Shipping Box: 23.2 x 21.5 x 8.6 in	Shipping Weight: 25.52 lbs
	Shipping Box: 589 x 546 x 218 mm	Shipping Weight: 12.02 kg
ADV-C1	18.8 x 20 x 4.6 in / 25.20 lbs	
	477 x 508 x 117 mm / 11.43 kg	
	Shipping Box: 22.3 x 26.5 x 8.6 in	Shipping Weight: 28.66 lbs
	Shipping Box: 566 x 673 x 218 mm	Shipping Weight: 13 kg
ADV-C2	18.8 x 21 x 4.6 in / 25.88 lbs	
	477 x 533 x 117 mm / 11.74 kg	
	Shipping Box: 22.3 x 27.5 x 8.6 in	Shipping Weight: 29.21 lbs
	Shipping Box: 566 x 699 x 218 mm	Shipping Weight: 13.25 kg
Manufacturing Features		
Cash Drawer Body	18-20 Gauge Steel, Modular Construction	
Rails	Roller Suspension System (Standard)	
Finish	Scratch Resistant Texture Powder Coat	
Drawer Front	Texture Powder Coat or Stainless Steel; 3 Slots or No Slots	
LockIt™	44 Cubic Inch Capacity	
Configurable Global Till		
Construction	ABS Plastic	
Configurations	US (5 Bill / 5 Coin), Canada (4 Bill / 6 Coin)	
Lock Options		
Standard	3 Position, 4 Function (Random, Alike, Master)	
High Security	3 Position, 4 Function with Operator and Manager Key	
Upgradeable Interfaces		
Connectivity	USB with Statistics, USB with Statistics & 4 Port Hub Combo, USB Serial Emulation, 12V Powered USB, Standard and Multi-Serial, and RJ-12 Printer Driven Connections	
Performance		
Life Cycle	Over 4 Million Cycles	
Warranty	5 Years Standard Warranty; Lifetime Limited Warranty Available Free Technical Support	

Advantage® Manual Cash Drawer		
	Dimensions (W x D x H)	Weight
ADV-B1	18 x 16.7 x 4.6 in / 23.55 lbs	
	457 x 424 x 117 mm / 10.68 kg	
	Shipping Box: 23.2 x 21.5 x 8.6 in	Shipping Weight: 25.52 lbs
	Shipping Box: 589 x 546 x 218 mm	Shipping Weight: 12.02 kg
	<b>ADV-1M161-04</b> (Black) or <b>ADV-1M161-89</b> (Putty w/Silver Painted Front)	
ADV-C1	18.8 x 20 x 4.6 in / 25.20 lbs	
	477 x 508 x 117 mm / 11.43 kg	
	Shipping Box: 22.3 x 26.5 x 8.6 in	Shipping Weight: 28.66 lbs
	Shipping Box: 566 x 673 x 218 mm	Shipping Weight: 13 kg
	<b>ADV-1M201-04</b> (Black) or <b>ADV-1M201-89</b> (Putty w/Silver Painted Front)	
Manufacturing Features		
Cash Drawer Body	18-20 Gauge Steel, Modular Construction	
Rails	Roller Suspension System (Standard)	
Finish	Scratch Resistant Texture Powder Coat	
Drawer Front	Texture Powder Coat or Stainless Steel; 3 Slots or No Slots	
LockIt™	44 Cubic Inch Capacity	
Configurable Global Till		
Construction	ABS Plastic	
Configurations	US (5 Bill / 5 Coin), Canada (4 Bill / 6 Coin)	
Lock Options		
Standard	3 Position, 4 Function (Random, Alike, Master)	
Performance		
Life Cycle	Over 4 Million Cycles	
Warranty	5 Years Standard Warranty; Lifetime Limited Warranty Available Free Technical Support	



ISO-9001-2008 Certification

MMF POS™, MMF POS Logo, Advantage® and LockIt™ are trademarks and registered names of MMF. The Global Till, Upgradeable Interfaces and LockIt™ are patent pending designs of MMF POS.



1111 Wheeling Rd.  
Wheeling, IL 60090

800.769.1954

www.mmfpos.com

ECD-ADV-Rev.6  
ISO-9001-2008  
1411254



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

