
# THE NEW AS10 CONTACT SCANNER

unitech

## THE AS10. EASY. FAST. AFFORDABLE.

Budget-friendly and performance-ready. The new AS10 delivers straight-forward barcode scanning in an affordable, ergonomic package. It is easy to set up and use and its durable construction is well suited for many applications such as Small Business, Education and Retail.

- Value-priced linear imager scanner
  - Durable, ergonomic design
- Scans all major 1D symbologies
  - Out-of-the-box functionality



## unitech

## THE NEW **AS10** CONTACT SCANNER

#### **PHYSICAL CHARACTERISTICS:**

Height Width Height Weight 6.9 in 3 in 3 in Approximately 4.2 oz. (120 g) (w/o cable) 2.3 in ABS Plastic

#### **ELECTRICAL:**


Width Of Window

Housing Material

Voltage Power Consumption EMC DC +5V ±5% 80mA FCC Part 15 Class B, EN55022, EN55024

#### **OPERATIONAL:**

Light Source Interfaces Cable Connector Reading Indicator Visible red light 632nm LED USB Straight 5 ft. RJ45 Beeper



#### ENVIRONMENTAL:

Operating Temperature Storage Temperature Relative Humidity Drop Ambient Light

unitech

0°C to 50°C (32°F to 122°F) -20°C to 70°C (-4°F to 158°F) 20% to 95% (Non-condensing) 4-foot 5000 Lux Max.

#### **SCAN PERFORMANCE:**

```
Depth of Field
Scan Rate
Resolution
```


2.4"@20mil/0.2" (Contact type) 100 scans/sec 5mil/0.127mm

#### **READABLE SYMBOLOGIES:**

GS1 DataBar, UPC / EAN / JAN,Code 39, EAN128, Full ASCII, Code 128, Interleaved 205, Matrix 205, CODABAR / NW7, Code11, MSI / PLESSEY, Code93, China Postage, Code 32

WARRANTY:

1-year



All trademarks are copyright of their respective owners.

## unitech

## THEUNITECH CONTACT SCANNER LINE

## THE UNITECH AS10

#### **Key Features:**

- Linear imager scan engine
- USB interface
- Range: 0-2.5"
- Basic data editing
- 4-foot drop rating

#### **Target Market & Applications:**

- Retail
- Education
- Library
- SMB

#### Model Numbers AS10-U AS10, Black, USB Cable

#### THE UNITECH MS 180 (EOL Q2 2013)

#### Key Features:

- Linear imager scan engine
- USB, RS232, PS/2, Wand Emulation
- Range: 0-3"
- Advanced data editing
- 5-foot drop rating

#### Target Market & Applications:

- Retail
- Education
- Library
- SMB

List Price

\$50.00

Model Numbers

**MS180-1UG** MS180, Gray, USB

**MS180-1RG** MS180, Gray, RS232

**MS180-1KG** MS180, Gray, Keyboard Wedge

**MS180-1WG** MS180, Gray, Wand Emulation

\* Models also available in black

### THE UNITECH MS210

#### **Key Features:**

- Linear imager scan engine
- USB, RS232, PS/2, Wand Emulation
- Range: 0-4"
- Advanced data editing
- 6-foot drop rating

#### **Target Market & Applications:**

#### - Retail

- Education
- Library
- SMB

List Price

\$150.00

\$170.00

\$150.00

\$150.00

<b>Model Numbers</b> <i>MS210-UG</i> MS210, Gray, USB	List Price \$199.00
<b>MS210-RG</b> MS210, Gray, RS232	\$219.00
<b>MS210-PG</b> MS210, Gray, Keyboard Wedge	\$199.00
<b>MS210-WG</b> MS210, Gray, Wand Emulation	\$199.00

\* Models also available in black

## unitech





#### www.L-TronDirect.com

### 800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

Get in touch with us on social media!

www.L-Tron.com