

Epson GP-M831

DATASHEET



Offering a more flexible alternative to dot matrix technology, the GP-M831 combines the sturdiness of a dot matrix printer with the advantages of inkjet, such as wider media compatibility and higher-quality prints.

Unlike dot matrix printers, the versatile GP-M831 can print advanced barcodes and crisp text, and can be used with a variety of media, including glossy paper and labels. Whatever the media used, Epson's DURABrite Ultra pigment ink yields long-lasting prints that resist water, fading, smudging and highlighter pens.

The GP-M831 has a durable build and is designed to provide up to five years of high-volume, high-performance printing. Patented Epson technology protects the printhead nozzles from dust, making the GP-M831 suitable for demanding environments.

Helping to improve efficiency, the GP-M831 prints up to 19.7 pages per minute in super draft mode, and clears paper jams in seconds by automatically releasing the paper if an error occurs. This is backed up by a push-button manual paper release.

The GP-M831 comes with parallel, USB and LAN 100/10BASE interfaces as standard to make integration easy.

KEY FEATURES

- Prints on continuous single layer paper
- Prints advanced barcodes
- Use with glossy and label media
- Long-lasting prints
- Anti-nozzle-block technology

PRODUCT SPECIFICATIONS

PRINT

Barcodes Code 128, Code 39, EAN-13, EAN-8, ITF, Interleaved 2 of 5, POSTNET, QR Code, UPC-A, UPC-E

CONNECTIVITY

Interfaces USB 2.0 Type A, Bidirectional parallel, Ethernet interface (100 Base-TX / 10 Base-T)

PAPER / MEDIA HANDLING

Document Feed Continuous paper rear, Paper output front

Paper Thickness Continuous 0.065 mm - 0.14 mm

Paper

GENERAL

Energy Use 33 W, 8 W (standby)

Supply Voltage AC 110 V - 240 V, 50 Hz - 60 Hz

Product dimensions 464 x 465 x 224 mm (Width x Depth x Height)

Temperature Operation 10° C - 35° C, Storage -10° C - 40° C

Compatible Operating Systems Windows 7, Windows 7 x64, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit),

Windows Vista, Windows Vista x64, Windows XP, Windows XP x64

Sound Pressure Operation: 54 dB (A)

OTHER FEATURES

Emulations ESC/P, ESC/P2

LOGISTICS INFORMATION

SKU C11CC69132

Barcode 8715946530680

Dimensions Single Carton 680 x 589 x 424 mm

Carton Weight 15.5 Kg

Multiple Order Quantity 1 Units

Country of Origin China

Pallet Size Euro 40 Units (4 x 10)

Pallet Size Block 60 Units (6 x 10)

Epson GP-M831

WHAT'S IN THE BOX

- AC Adaptor
- Driver and utilities (CD)
- Main unit
- Setup guide
- User manual
- Individual Ink Cartridges

SUPPLIES

- GJIC5(K): Ink cartridge for GP-C831 (Black)
C13S020563

For more information please contact:

Telephone: 0871 222 6702 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Fax: 0871 222 6740

Web: www.epson.co.uk
www.epson.ie

+ Calls cost 10p per minute plus network extras.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON®



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

Get in touch with us
on social media!

