Epson TM-L90 Plus Label and Receipt Printer



- Prints at a clear 203 x 203 dpi
- Print speeds up to 150mm/second
- Compatible with leading business label software applications using Windows® drivers
- Easy, drop-in paper loading of rolls up to 90mm (3.5") in diameter
- Dual interfaces standard including built-in USB plus one UIB interface
- One-year limited warranty

Epson's TM-L90 Plus thermal printer offers a high-quality, versatile solution for both label and receipt printing. It is ideal for retailers who want to accomplish multiple printing tasks using a single cost-effective printer.

High-speed printing of labels and receipts

The TM-L90 Plus is ideal for a wide range of applications for retail, hospitality, QSR and pharmacy labeling. It features fast print speeds of up to 150mm per second in high-speed mode and prints at a clear 203 x 203 dpi. It easily handles a variety of print stock for labels, receipts and tickets and offers continuous printing on liner labels. Cost-effective thermal labels are available in a variety of sizes.

Ready to use with label software

The TM-L90 Plus label printer is compatible with a wide range leading business label software applications using Windows drivers for a variety of vertical markets.

Dual interfaces standard

In addition to its other advanced features, the TM-L90 Plus comes with dual interfaces for flexibility in handling interface transitions. These include a built-in USB and one additional interface including serial, parallel, Bluetooth, Ethernet or WiFi.

Get the flexibility you need

You can install the TM-L90 Plus on a counter or wall using an optional wall-hanging bracket. It takes paper rolls up to 3.5 inches (90mm) in diameter to reduce paper changes, and its paper roll spacer lets you adjust paper width from 38mm to 70mm (1.50 to 2.75 inches). Barcodes can be printed either vertically or horizontally, including PDF417, MaxiCode and QRCode. And its flexible page mode gives you a variety of options for label and receipt layouts.

Reliability you can count on

With an MCBF of 70 million lines and an autocutter life up to 2 million cuts, you can count on the TM-L90 Plus for reliable printing day after day. Its straight paper path means less time wasted on paper jams and drop-in paper loading makes paper replacement easy.

Backed by the leader

The TM-L90 Plus is designed and built with the high quality and reliability that Epson is known for. And it is backed by Epson's industry-leading service and support programs.



Compact Thermal Label and Receipt Printer with Dual Interfaces

All the features you need

- Prints at a clear 203 x 203 dpi
- Print speeds up to 150mm/second
- Compatible with leading business label software applications using
- Dual interfaces standard including built-in USB plus one UIB interface
- Easy, drop-in paper loading of rolls up to 90mm (3.5") in diameter
- Cost-effective labels available
- One-year limited warranty

Printer

Print method Thermal line printing Print resolution 203 x 203 dpi

150mm/sec, 5.9"/sec high-speed mode; Print speed

120mm/sec, 4.7"/sec normal mode

Print font

9 x 17 / 12 x 24 **Fonts** Column capacity 64/48/72 (columns)

Character size $1.13 \times 2.13 / 1.5 \times 3.0 / 1.0 \times 2.0$ (W x H mm) 95 Alphanumeric, 37 International, International 18sets, 128x47 graphics, 128 x 11 Graphic Traditional/Simple Character set

Chinese, Thai, Japanese

Barcode UPC-A, UPC-E, JAN8 (EAN), Jan13 (EAN), ITF,

CODE39, CODE93, CODE128, CODABAR, PDF417,

MAXICODE, QRCODE

90mm (3.5") maximum

Characters per inch 22.6 cpi (9 x 17 font)/16.9 cpi (12 x 24 font) Paper width 38mm (1.50"), 60mm (2.76"), 80mm (3.14")

Paper diameter Reliability

MTBF 360,000 hours **MCBF** 70,000,000 lines

Autocutter 2 million cuts receipts, 1 million cuts labels

General information

Built-in USB interface + another selection: serial Interface

RS-232C, parallel IEEE-1284, high-speed USB, powered USB, Ethernet 10/100Base-T/TX, Bluetooth, WiFi

(only one interface can be used at a time)

Data buffer 4K or 45 bytes 24 VDC ± 7% Power Power consumption Approx. 1.8A (mean)

D.K.D. function 2 drivers

Overall dimensions $5.5" \times 5.8" \times 8.0"$ (140 x 148 x 203 mm)

 $(W \times D \times H)$

Weight Approx. 4.18 lb (1.9 kg) Color Epson Dark Gray (EDG)

PS-180 AC adaptor, paper roll spacer, wall-hanging Factory options

bracket WH-10

EMI standards VCCI class A, FCC class A, CE marking, Canada EMI,

AS/NZS 3548, AS/NZS CISPR22 Class A

Safety standards UL, CSA, TÜV (EN60950) Environmental standards WEEE, RoHS compliant

Windows 2000/XP/Vista/7/8, Windows Embedded Operating systems

POS Ready 7/2009, Windows Server 2008/2012

What's in the box

TM-L90 Plus

Thermal roll paper (starter roll for operation check)

User guide

Power supply with AC cable



Ordering information^{*}

Product	Color	Model Number
Ethernet	EDG	C31C412A8271
Serial	EDG	C31C412416

^{*}Contact your Epson Representative for additional models, interfaces and colors

SD-DSI90PIUS-A







www.L-TronDirect.com 800-830-9523 info@L-Tron.com

