

ATTACHABLE

Bluetooth Cordless Hand Scanner

Small, Thin, Attachable & Easy to Use



SMALL, LIGHTWEIGHT AND EASY TO USE

Increase productivity in mobile business applications with the Socket Mobile *Bluetooth* Cordless Hand Scanner (CHS) Series 8.

- **One handed solution** — Ideal for workers who need to keep a hand free to handle merchandise or equipment. Attach securely to phone with optional Klip Case (sold separately)



- **Thin, small and elegant** — As small as a credit card, the CHS Series 8 is thinner than most smartphones and slips easily into a shirt or pants pocket. Wear around neck or attach to belt with included lanyard / belt clip for convenient access to scanner



- **Easy to integrate** — The CHS Series 8 is compatible with any applications used with our highly popular CHS Series 7 barcode scanners. Application update may be required.

HARDWARE FEATURES

- Compatible with Apple, Android, Windows devices
- Made with antimicrobial material to provide an extra protection against potentially harmful microbes
- Robust Bluetooth connectivity
- Battery Friendly® technology 10-hour battery life on a single charge
- Scanner automatically connects to phone after initial setup
- LED and beeps visual and audio indicators signal good scan, connection, and power status
- Vibrate mode indicates good scans, ideal for noisy environments where beeps are hard to hear or applications that require silent mode

- Supports *Bluetooth* HID connections for easy setup with no software installation - connect like a wireless keyboard²
- Supports *Bluetooth* SPP connections for advanced scanner control and SDK support²

SPECIAL FEATURES FOR APPLE iOS

- Certified by Apple for iPad, iPhone, and iPod touch
- Quickly access Apple iOS on-screen keyboard by pressing a scanner button
- Authentication chip enables two-way communications with Apple devices running a compatible app developed with SocketScan 10 SDK. View apps at: <http://www.socketmobile.com/appstore>
- App to modify beep, LED, vibrate, and other settings

SOFTWARE FOR ANDROID AND WINDOWS

- SocketScan™ 10 keyboard wedge enters scanned data into any app, no custom programming needed
- Socket EZ Pair automates *Bluetooth* setup¹
- Suffix support — automatically add a carriage return or tab
- Data editing — reformat, extract or manipulate data
- Scanner configuration — modify beep, LED, vibrate, and symbology settings. View scanner's battery level

¹Requires installation of SocketScan 10 software for Android/Windows or iOS app developed with SDK.

²Some smartphones/devices do not support both HID and SPP



CHS Model	8Ci		8Qi	
Scanner SKU #	Black: CX2881-1476 White: CX2893-1497		Black: CX3343-1577 White: CX3344-1578	
Klip Case SKU#	Klip Case for iPhone 5/5s: Klip Case for iPhone 5c: Klip Case for iPod touch(5 th generation): Klip Case for Samsung Galaxy S4: Universal Klip Case (requires 3rd party phone case): Step files for the Series 8 side of the Klip Case, to facilitate the design of a custom Klip Case, are available with the SDK subscription.		Black AC4066-1500 AC4078-1540 AC4067-1501 AC4068-1502 AC4069-1503 White AC4080-1542 AC4079-1541 AC4081-1543 AC4082-1544 AC4083-1545	
Scanner Dimensions	3.42 x 0.52 x 2.12 in. (86.9 x 53.94 x 13.43 mm)			
Klip Case Dimensions	iPhone 5/5c/5s: 3.7 x 2.5 x 0.4 in. (94 x 63.5 x 10.16 mm) iPod touch (5 th generation): 3.7 x 2.4 x 0.3 in. (94 x 61 x 7.6 mm) Samsung Galaxy S4: 4.1 x 2.9 x 0.4 in. (104 x 73.66 x 10.16 mm) Universal: 3.5 x 1.0 x .01 in. (90 x 25.4 x 3.0 mm)			
Scanner Total Weight	1.7 oz (48.2 g)			
Klip Case Mass	iPhone 5/5c/5s: 0.4 oz (11.3 g) iPod touch (5th Generation): 0.4 oz (11.3 g) Samsung Galaxy S4: 0.5 oz (14.2 g) Universal: .57 oz (.02 g)			
Drop Specification ¹	Multiple 3.3 ft (1 m) drops to vinyl covered concrete			
Operating Temperature ²	+32 to +122°F (0 to +50°C)			
Storage Temperature ²	-22 to +158°F (-30 to +70°C)			
Relative Humidity	5% to 95% non-condensing			
Ambient Light	Sunlight: 0 - 110,000 lux			
Battery Type	Lithium ion rechargeable battery			
Battery Life ¹	10 hours or 10,000 scans ²			
Barcode Scanner Performance				
Scanner Type	Imager (1D)		Omni-directional Imager (2D)	
Scans Barcodes on Device Screens	✓			
Vibrate Mode for Good Scans	✓			
Symbologies Decoded	UPC/EAN/JAN supplemental redundancy, Coupon Report, ISSN EAN, Inverse 1D, ISBT concatenations, Matrix 2 of 5, Bookland EAN (ISBN / EAN-13), Chinese 2 of 5, Codabar, Code 11, Code 128, Code 39, Code 93, Discrete 2 of 5, GS1 DataBar (RSS), GS1-128 (UCC-128/EAN-128), Interleaved 2 of 5 (ITF-14), MSI, Plessey, UPC/EAN		1D: Bookland EAN (ISBN / EAN-13), Codabar (including ISBT 128 bit concatenation), Code 11, Code 128, Code 39, Code 93, Discrete 2 of 5, GS1 DataBar (RSS),GS1-128 (UCC-128/EAN-128), Interleaved 2 of 5 (ITF-14), MSI, Plessey, UPC/EAN 2D: Aztec, HanXin, Codablock, Data Matrix, GS1 (EAN.UCC), Matrix 2 of 5, Maxicode, PDF 417, Macro PDF 417, Micro PDF 417, QR Code, Standard 2 of 5, Telepen,TLCode 39 Postal: Australia Post, BPO 4, Canada Post, Dutch Post (KIX), Japan Post, Planet, Postnet, RM4SCC, Sweden Post, TLCode 39, 4 State Code, USPS Intelligent Mail	
Scan Repetition Rate	5 scans/sec			
Print Contrast	Minimum 20%		Down to 254	
Scan Angle	53.3° ± 3°		Horizontal: 38.9° Vertical:25.4°	
Decode Distance ³	5.7 to 50.8 cm (2.25 to 20 in.)		4.8 to 40.6 cm (1.9 to 16 in.) Depends on symbol size, symbology, label media, W-N ratio, scan angle	
Bluetooth Profile Support	Human Interface Device (HID) and Serial Port Profile (SPP) Some OS versions or smartphone/tablet models support only one profile.			
Bluetooth Version	Bluetooth 2.1 + EDR (Enhanced Data Rates) with 56 bit data encryption			
Radio Range	Class 2 Bluetooth: Up to 10 m (33 ft), depending on environment			
OS Support				
• Apple iOS	✓			
• Android OS	✓			
• Windows	✓			
SocketScan™ 10 Software	Keyboard wedge software featuring Socket EZ Pair for Android. Scanner Settings configuration utility also included.			
SocketScan 10 SDK	For Apple iOS, Android, BlackBerry, Windows. Available to members of Socket Mobile Developer Program (\$19.95/year) http://developer.socketmobile.com			
Included Items	CHS barcode scanner, internal Lithium ion rechargeable battery, USB charging cable, lanyard/belt clip with retractable tether, downloadable software			
Warranty	Scanner: One year Accessories: 90 days			
SocketCare Extended Warranty	Sold separately. SocketCare Plus 2 Year - SKU# SC1804-1349	SocketCare Plus 5 Year - SKU# SC1835-1671	http://www.socketmobile.com/socketcare	
Regulatory Compliance				
Electrical Safety	Certified to IEC 60950-1, UL 60950-1, CAN/CSA C22.2			
Environmental	RoHS			
EMI / RFI	FCC Part 15 Class C, RSS 210, iCES 003, C-Tick, CISPR 22, CE EN55022, EN55024, TELECOM			
LED Safety	IEC 60825-1, EN 60825-1			

¹Preliminary and subject to change. ²Temperature ranges may vary with battery shelf life. ³Depends on symbol size, symbology, label media, W-N ratio, scan angle.

sales@socketmobile.com		Toll-Free	+1 800 552 3300 (USA/Canada)	Asia Pacific	+1 510 933 3122
Worldwide	+1 510 933 3000	EMEA / UK	+44 7787 112109	Latin America	+1 510 933 3153



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

Get in touch with us
on social media!

