

CS40

Accessory Guide

Cases and Holders

Accessory Name	Part Number	Description
<p>Holster</p> 	815-069-001	High quality, black leather holster comes with a keyed plastic insert to ensure the antennae are facing away from the body. The belt clip is leather wrapped and permanently affixed for horizontal attachment to a belt. For use with the standard battery pack only.
<p>Purse</p> 	815-071-001	High quality, black leather purse comes with a keyed plastic insert to ensure the antennae are facing away from the body. On the back side there is a leather pouch for additional items such as business cards or keys. The strap consists of a leather exterior with nylon interior to decrease slip and has silver hardware. For use with standard battery pack only.
<p>Vehicle Holder</p> 	805-675-001	Made of plastic with a spring loaded latching mechanism for secure capture of the CS40, the vehicle holder is designed to present GPS directions for the user at convenient angles using Intermec's standard mounting kit (below.) Other mounting kit options (e.g. suction cup for windshield mount, cup holder insert) are available from RAM Mounting Systems. For use with standard battery pack only.
<p>Mounting Kit</p> 	805-638-001	Designed to withstand the harshest vehicle vibration profiles, meeting or exceeding OSHA standards, this mounting kit consists of one 4.75" adjustable pivot arm and two 1.5" steel balls. Screws for the holder are provided, however vehicle mounting requires appropriate hardware to be provided by the customer.



CS40

Accessory Guide

Batteries and Chargers

Accessory Name	Part Number	Description
CS40 Universal Cell Phone Charger Kit 	203-936-001	Supporting the universal cell phone charger standard (5V, 1A, microUSB) this kit comes with 4 snap-on plugs expanding the “universal” functionality by supporting usage for the most common outlets. More unique outlets would require local purchase of adaptors. This kit is included with every CS40.
Vehicle Power Adaptor 	852-072-001	This vehicle power adaptor provides protection required for large truck usage and the spikes/surges that can occur in vehicles. The connection is microUSB and connects with the CS40 directly. Note the straight portion of the cable has been increased to accommodate easy insertion in the CS40 while supporting cable capture with the vehicle holder.
Standard Battery Pack 	318-045-001	Standard (1430 mAh) spare or replacement pack.
Extended Battery Pack 	318-053-001	Extended (2860 mAh) spare or replacement pack.






Docks and Modules

Accessory Name	Part Number	Description
CS40 USB Cradle 	871-036-001	The USB cradle allows for vertical charging or communication and eases connection to the CS40 by utilizing the contacts on the bottom of the CS40. A power supply is not included, however the cradle works with the charger and cable that ship with the CS40, p/n 203-936-001; optionally, order the Y-Cable, p/n 321-674-001, for active sync and fast charge. For use with standard battery pack only.
CS40 FlexDock Desktop Dock 	DX1A06E00 (no power cord) DX1A06E10 (North American power cord incl.)	The FlexDock desktop dock is designed to provide communications and charging for 1 CS40 and 2 spare battery packs. The cups are interchangeable supporting future devices from Intermec. A global power supply is included. Part numbers ending in “10” include a North American power cord. Cords for other countries can be ordered separately. Use of a 2 meter or less USB cable is required for ActiveSync, such as PN 236-209-001, which ships with every CS40. For use with standard battery pack only.

CS40

Accessory Guide

Docks and Modules (continued)

Accessory Name	Part Number	Description
CS40 4 Pack FlexDock Charger 	DX2A2EE00 (no power cord) DX2A2EE10 (North American power cord incl.)	The FlexDock 4 pack charger is designed to provide charging for four spare battery packs. The cups are interchangeable supporting future devices from Intermec. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.
CS40 FlexDock Dual Dock Charge only 	DX2A26600 (no power cord) DX2A26610 (North American power cord incl.)	The FlexDock dual dock is designed to provide charging for 2 CS40s. The cups are interchangeable supporting future devices from Intermec or for providing spare battery charging. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.
CS40 FlexDock Dual Dock with Ethernet 	DX2A16600 (no power cord) DX2A16610 (North American power cord incl.)	The FlexDock dual dock with Ethernet is designed to provide wired Ethernet communications and charging for 2 CS40s. The cups are interchangeable supporting future devices from Intermec or for providing spare battery charging. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.
CS40 FlexDock Quad Dock Charge Only 	DX4A2666600 (no power cord) DX4A2666610 (North American power cord incl.)	The FlexDock quad dock is designed to provide charging for 4 CS40s. The cups are interchangeable supporting future devices from Intermec or for providing spare battery charging. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.
CS40 FlexDock Quad Dock with Ethernet 	DX4A1666600 (no power cord) DX4A1666610 (North American power cord incl.)	The FlexDock quad dock with Ethernet is designed to provide wired Ethernet communications and charging for 4 CS40s. The cups are interchangeable supporting future devices from Intermec or for providing spare battery charging. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.
CS40 FlexDock 8-Position Battery Charger 	DX4A2EEEE00 (no power cord) DX4A2EEEE10 (North American power cord incl.)	The FlexDock 8 position charger is designed to provide charging for 8 spare battery packs. The cups are interchangeable supporting future devices from Intermec. A global power supply is included. Part numbers ending in "10" include a North American power cord. Cords for other countries can be ordered separately. For use with standard battery pack only.

CS40

Accessory Guide

Power Cords

Accessory Name	Part Number	Description
AC Power Cord	321-470-001	AC Power Cord, Switzerland
	321-500-001	AC Power Cord, Japan
	071918	AC Power Cord, China RoHS
	1-974027-025	AC Power Cord, Europe RoHS
	1-947028-025	AC Power Cord, US RoHS
	1-974029-020	AC Power Cord, UK RoHS
	1-974030-025	AC Power Cord, Australia RoHS
	321-471-002	AC Power Cord, Italy RoHS
	321-501-002	AC Power Cord, Denmark RoHS
	321-502-002	AC Power Cord, India/S Africa RoHS

Data Cables

Accessory Name	Part Number	Description
Y cable	321-674-001	The Y-Cable is designed for the CS40 to provide both fast charge as well as active sync communications. Most PC's provide only 500 mA (trickle charge when the unit is on) and the CS40 needs 1A to achieve fast charge rates. Connect the red to power and the black to the PC for fast charge and active sync. The cable will not work if either power or data are not connected. This listed part number is for the cable only as the power supply is included with every CS40.



Spare MicroUSB to USB Host Cable	236-209-001	One cable is included in the universal cell phone charger kit that is included with every CS40. This is a standard cable and can be used to directly connect the CS40 to a PC, however does not enable fast charge capabilities. See above.
----------------------------------	-------------	---



CS40

Accessory Guide

Replacement Parts

Accessory Name	Part Number	Description
Screen Protectors (3/pk)	346-069-038	Contains three (3) self-adhesive screen protectors and touch panel cleaner.
MicroUSB Caps (3/pk)	203-939-001	With prolonged usage the microUSB cap on the CS40 will tear or become hard and will no longer seal the connector. This kit contains three (3) caps and the phillips head screws and washers necessary to replace the microUSB cap on the CS40.
Tethered Pens (3/pk)	203-940-001	Contains three (3) replacement styli with single strand tether for the CS40.
Micro SD Card, 1GB	856-065-004	Industrial Grade Micro SD card for reliable performance in all CS40 operating environments
Micro SD Card, 2GB	856-065-005	Industrial Grade Micro SD card for reliable performance in all CS40 operating environments
Micro SD Card, 4GB	856-065-006	Industrial Grade Micro SD card for reliable performance in all CS40 operating environments



Copyright © 2013 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners.
612117-B 08/13



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

