

PRODUCT SPEC SHEET
ET1 ENTERPRISE TABLET



ET1 ENTERPRISE TABLET

IMPROVE SERVICE AND EFFICIENCY WITH THE ONLY TABLET THAT'S TRULY ENTERPRISE

Get the new class of tablet that is ready for business inside the four walls — and out in the field.

The ET 1 stands out, with ingredients that make it truly ready for enterprise use. You get consumer-style sleek design and ease of use, with the enterprise durability required for all-day use inside and outside. And its enhanced Android™ operating system delivers enterprise-class security, flexibility and manageability over wireless LAN and wireless WAN networks.

Consumer styling with real business durability.

On the outside, the ET1 is every bit as elegant as today's most popular tablets. Yet the ET1 is built for everyday use, able to handle drops, spills, chilly winter temperatures, extreme heat and more. and since the display is built with ultra-strong Gorilla® Glass, it is virtually impervious to damage, able to flex when dropped without shattering or scratching.

Use anywhere — from retail to field sales and service with high-speed cellular/wi-fi wireless connections.

Inside the four walls, support for 802.11a/b/g/n supports the fastest Wi-Fi networks for superior performance in your facility. and with a dual user-selectable data-only modem you get the flexibility to activate the et1 on the high-speed 4G Hspa+ worldwide network, the 3G eVDO/CDMA network — or both.¹

Secure your data — period.

Whether your data resides on the internal drive or on removable media, it is encrypted, safe from hackers, so you can easily secure sensitive information, such as credit card data and patient information, to help comply with industry and government regulations.

Built for multiple users with feature-level control.

With multi-user log-on, each worker is automatically granted access to their own personalized workspace — the right applications and device features. and since managers know who is using the device at any time, task management is easier.

Add the features you need — when you need them.

With an expansion port and bluetooth, you can add whatever peripherals you need, from scanners for easy inventory takes to magnetic stripe readers for payment processing.

Work uninterrupted — power up and stay up.

While most tablets in the industry only offer rechargeable batteries, the ET1 adds a removable battery that users can swap on the fly, preventing loss of data — and productivity.

Android fortified for the enterprise.

Extensions (Mx) from Zebra transforms android from a consumer operating system (OS) to a true enterprise-class OS with a series of additional features and options that improve security, device management and support for advanced enterprise data capture.

Future proof applications with RhoMobile Suite.

The ET1 supports the option to run applications built with RhoMobile suite developer tools. Write, integrate and deploy apps across platforms — iOS, android, Windows Mobile and operating systems of the future — it's always what's next.

Protect your investment from the unexpected

Service from the start with Comprehensive Coverage provides true business-class support for your tablet. this all-inclusive optional service covers normal wear and tear, internal and external components damaged through accidental breakage for both device and select accessories and operating system issues — keeping the ET1 up, running and in the hands of your users.

TURBOCHARGE YOUR WORKERS WITH THE ET1 — THE TABLET THAT'S TRULY ENTERPRISE.

For more information, please visit us on the web at www.zebra.com/et1 or access our global contact directory at www.zebra.com/contact

SPECIFICATIONS CHART

PHYSICAL CHARACTERISTICS		PERFORMANCE CHARACTERISTICS	
Dimensions	5.14 in. H x 0.98 in. D x 8.82 in. W 130.5 mm H x 25.0 mm D x 224.0 mm W	CPU	OMAP 4 Dual Core 1GHz x 2 + DSP
Weight	Wlan: 1.4 lbs./63 kg; W Wan: 1.45 lbs./66 kg	Operating System	Android 4.1.1
Display	7 in. capacitive; 1024 x 600; 350 NIT ; Corning® Gorilla® Glass	Memory	1GB RA M,4GB Flash plus 4GB microSD (total of 8GB flash memory); user accessible microSD card slot (supports up to 32GB)
Touchpanel	Capacitive multi-touch	USER ENVIRONMENT	
Backlight	Ambient light sensor	Operating Temp.	32° F to 122° F/0° C to 50° C
Keypad Options	Virtual; Bluetooth®	Storage Temp.	-4° F to 158° F/-20° C to 70° C
Expansion Capabilities	User accessible Micro SDHC card slot (up to 32GB); expansion module port	Drop Specification	Multiple 4 ft./1.2 m drop per MIL ST D 810G
Expansion Modules	Integrated expansion port for 'snap-in' peripherals for Zebra and third party peripherals	Sealing	IP54
Connectivity	Two USB interfaces: 1 USB 2.0 OTG connector	Vibration	4Gs peak, 5Hz to 2kHz, 1 hour duration per axis
		Thermal Shock	-4° F to 158° F/-20° C to

	(docking connector) and 1 USB 2.0 Host connector (expansion module port); HDMI out; communication via cradle and expansion ports; USB 2.0 host via expansion module
Notification	LED flash; bar code decode
Audio	Stereo speakers and dual microphones (one front and one rear-facing)
POWER	
Battery User Profile	Ample power for a full shift
Battery²	WLAN : 4620 mAh rechargeable Smart Li-Ion; user replaceable; rapid resume WWAN : 5640 mAh rechargeable Smart Li-Ion; user replaceable; rapid resume

DATA CAPTURE

Rear Camera	Bar code scanning and image capture: 8MP auto-focus camera with user controllable LED flash, illumination and aiming; captures 1-D and 2-D bar codes, photographs, video, signatures and documents
Front Camera	Optimized for video collaboration and low lighting conditions
Video	720p video
Readability	9,000 ft. candles

PERIPHERALS AND ACCESSORIES

Accessories include: scan/MSR module; scan module; protective rubber bezel; hip holster 1-slot docking USB charge cradle; 4-slot docking cradle charge only; 4-slot battery charger; power supply; USB /charge cable; 2-way DC cable; hand strap; headset; AC line cord; DC cable; battery; customizable bezel

REGULATORY

For regulatory information, please visit: www.zebra.com/et1

	70° C rapid transition
ESD	15kv Air, 8kv contact, 2kv charge body
Humidity	10% to 95% RH (non-condensing)
Development Tools	Zebra RhoElements for cross platform applications
Management Tools	Zebra Mobility Services Platform (MSP)

COMMUNICATIONS

Wlan	802.11a/b/g/n
WWAN	Dual user-selectable data-only modem; works on 4G/HSPA + carriers worldwide or 3G/EVDO on CDMA carriers
WPAN	Bluetooth 2.1 with EDR; integrated antenna
GPS	WLAN : Autonomous GPS WWAN : Autonomous GPS with Assisted GPS (A-GPS)

SENSORS

Gyroscope	Maintains orientation based on principles of conservation of angular momentum
Motion Sensor	3-axis accelerometer that enables motion-sensing applications for dynamic screen orientation and power management
Ambient Light Sensor	Automatically adjusts display brightness, keypad and display backlight
Electronic Compass	Independent — does not depend on GPS

WARRANTY

Subject to the terms of Zebra's hardware warranty statement, the ET1 is warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement, go to: <http://www.zebra.com/warranty>

RECOMMENDED SERVICES

Service From the Start with Comprehensive Coverage



Part number: SS -ET 1. Printed in USA 04/15. ©2015 ZIH Corp. ZEBRA, the Zebra head graphic and Zebra Technologies logo are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All rights reserved. All other trademarks are the property of their respective owners.

ZEBRA TECHNOLOGIES



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

