



TB4 Thermal Printer



Highlights

- 250mm/Sec Speed
- Epson Compatible
- Drop in Paper Loading
- Wall Mountable

Dual Interface Options

- Parallel/USB*
- Serial/USB*
- Ethernet/USB

*Includes Cables

The TB4 Printer is Touch Dynamic's state of the art thermal printer. It boasts speeds of 250mm/Sec and outstanding reliability. It is available in dual interface, either Serial/USB, Parallel/USB or Ethernet/USB. The TB4 is Epson compatible for easy implementation.



TB4 Thermal Printer



TB4 Thermal Printer Specification		
Print Speed		Max 250mm/sec
Print Resolution		8x8 dots / 203DPI
Dot Pitch		8dots/mm x 0.125pitch
Cutter		1 million cuts life
PE Sensor		Reflection Photo Scanner
Paper	Paper Type	Thermal Paper
	Paper Width	79.5mm / 57.5mm
	Paper Thickness	65-85 um
	Paper Roll Diameter	Max 80mm
Cover Upon Sensor		Mechanical Sensor
NE Sensor		Translation Sensor
Wall Mounted Chasis		Wall Mount-Bracket Included
Emulation		ESC/POS Mode, OPOS
Interface		Serial+USB / Parallel+USB / Ethernet+USB
Dimension	W x D x H	6.3" x 9.46" x 6.78"
Weight		1.4Kg
OS		Win XP SP3 or later 32 bit Win Vista 32/64bit SP2 or later Win 7 32/64bit, POSReady 2009
Safety Standard	Operation	CE, UL, cUL, FCC, C-tick, NOW





www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

Get in touch with us
on social media!

