

# Thor VX9

## Vehicle-Mount Computer

---

The strongest materials can open new possibilities for their owner. The Thor VX9 vehicle-mount computer does just that. The VX9 harnesses full Microsoft® Windows® computing power in a mobile environment, optimizing application and network management compatibility, while remaining flexible enough to run multiple advanced applications, with a Microsoft® Windows® 7 Professional MUI, Windows® XP Professional MUI or Windows® Embedded Standard 2009 operating system.

A 12.1" touch screen display provides exceptional operator viewing comfort, and improves the usability of graphics-intensive applications. Radio communications are delivered on the move with optional Bluetooth® wireless connectivity, WLAN or WWAN radios. And it's all packaged in an IP54-rated magnesium enclosure that's built to thrive in the toughest environments.



## Features

---

- **Field Proven Reliability:** Minimizes downtime and maintenance cost with a magnesium case and ruggedness test specifications; dominates the Microsoft® Windows® 7/XP rugged vehicle market with proven reliability in countless rugged vehicle applications
- **Powerful:** Maximizes productivity with Intel Core 2 Duo and Atom processors; minimizes the wait when GUI screens refresh
- **802.11n WLAN and 3.5G WWAN Radios:** Enhances productivity with an extensive range of communications capabilities

# Thor VX9 Technical Specifications

## Mechanical/Environmental

<b>Dimensions</b>	12.2" x 9.8" x 3.5" (308mm x 249mm x 89mm)
<b>Weight</b>	8.2 lbs. (3.7 kg)
<b>Operating Temperature</b>	-22 to +122°F (-30 to +50°C)
<b>Start-up Temperature</b>	-4 to +122°F (-20 to +50°C)
<b>Storage Temperature</b>	-4 to +122°F (-20 to +50°C)
<b>Environmental Sealing</b>	Independently certified to meet IP54 standards for moisture and particle resistance
<b>Material</b>	High strength magnesium housing
<b>Vibration</b>	According to IEC 60068-2-64, Test Fh
<b>Shock</b>	Bump: according to IEC 60068-2-29, Test Eb

## System Architecture

<b>Processor</b>	Intel® Core 2 Duo 1.5GHz, Intel® Atom 1.6GHz
<b>Operating System</b>	Microsoft® Windows® 7 Pro with MUI, Microsoft® Windows® XP Professional MUI, Microsoft® Windows® Embedded Standard 2009 (WES 2009)
<b>Memory</b>	1GB, 2GB
<b>System Software</b>	VMT Manager (Config. Utility), Citrix® Client, Windows® Terminal Services, Barcode Wedge
<b>Optional Software</b>	RFTerm® (Windows Terminal Emulations VT220, TN5250, TN3270), FreeFloat® Access*One Terminal Emulator (VT220, TN5250, TN3270), On-screen soft keyboard
<b>Mass Storage</b>	80 GB 2.5" Hard Drive Automotive, 16 GB CF Solid State Drive, 8 GB CF Solid State Drive, 2 GB CF Solid State Drive (WES Only)
<b>Graphics Processor</b>	Intel® Graphics Media Accelerator (GMA 950), up to 224MB DVMT 3.0
<b>Power Supply &amp; UPS</b>	External power supplies for DC from 10 to 150V and AC, integrated Li-ION maintenance UPS
<b>Display</b>	Indoor 12.1" (307mm) TFT flat panel SVGA (800x600), 450 NIT, 700:1 contrast ratio; Indoor 12.1" (307mm) TFT flat panel XGA (1024x768), 500 NIT, 700:1 contrast ratio; Outdoor 12.1" (307mm) TFT flat panel SVGA (800x600), 1000 NIT, 600:1 contrast ratio
<b>Touch Panel</b>	Industrial 5-wire touch panel with resistive touch and support for finger touch and stylus, Optional touchscreen defroster
<b>Audio</b>	1 Audio out (headset), 1 Mic in (microphone)
<b>I/O Ports</b>	2 PS/2 keyboard/mouse ports (Adapter cable required for second port), 2 Serial ports (COM1) & (COM2) COM1 supports 5V to external device, 1 USB 2.0 port, 1 Multi-purpose connector (Serial + USB), 1 RJ-45 ethernet 10/100
<b>Storage Expansion</b>	2 PC Card type II slots
<b>Warranty</b>	1 year factory warranty
<b>Service Plans</b>	Optional one-, three- and five-year service programs offer worry-free mobile computing

## Wireless Connectivity

<b>WWAN</b>	GSM/GPRS Edge, HSDPA/UMTS/WCDMA, Multiband 850/900/1800/1900/2100 MHz, Remote GSM/GPRS antenna included
<b>WLAN</b>	802.11 a/b/g, 802.11 a/b/g/n
<b>WLAN Security</b>	Authentication: Support for a full range of 802.1X (EAP) types, including EAP-TLS, PEAP-MSCHAPv2, PEAP-GTC, LEAP, and EAP-FAST; Encryption: Support for Static, pre-shared, and dynamic encryption keys, 40-bit and 128-bit keys, 8 to 63 ASCII and 64 hexadecimal character passphrases, WEP, WPA (TKIP), and WPA2 (AES) encryption methods. The 802.11 a/b/g/n radio also supports CCKM encryption.
<b>WLAN Antennas</b>	Dual diversity integral external antennas, Remote mount antenna kits available
<b>WPAN</b>	Bluetooth® 2.0+EDR

Microsoft, Windows, and the Windows Logo are registered trademarks or trademarks of Microsoft Corporation. The Bluetooth trademarks are owned by Bluetooth SIG, Inc. U.S.A. and licensed to Honeywell International Inc.

For a complete listing of all compliance approvals and certifications, please visit [www.honeywellaidc.com/compliance](http://www.honeywellaidc.com/compliance)  
For a complete listing of all supported bar code symbologies, please visit [www.honeywellaidc.com/symbologies](http://www.honeywellaidc.com/symbologies)



### For more information:

[www.honeywellaidc.com](http://www.honeywellaidc.com)

### Honeywell Scanning & Mobility

9680 Old Bailes Road  
Fort Mill, SC 29707  
800.582.4263  
[www.honeywell.com](http://www.honeywell.com)





[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

