

# XT3815



## KEY FEATURES

- Intel® Celeron™ J1900 / 2.0GHz
- 2GB DDR3L memory (8GB maximum)
- Projected Capacitive touch
- Fan Free
- Spill and dust resistant
- USB 3.0 support
- Digital Brightness Control
- VESA mount capability
- Slim, folding base design
- Optional Solid State Drive and WiFi
- Optional Upgrade Kits
  - Powered USB Kit
    - (1) 24V USB 2.0 Port and (3) 12V USB 2.0 Ports
    - Powered USB base can house power adapter and backup battery with 150W power supply
  - 8-Port USB Hub Kit
    - (8) port USB hub with 150W power supply

### About Posiflex

- Designer and manufacturer of Point-of-Service and industrial touch terminals
- Revolutionary technology, reliable quality, reasonable pricing and recognized service
- Delivers reliable terminals for maximum uptime and lower total cost of ownership
- Comprehensive suite of peripherals and services
- Innovative excellence since 1984 with more than 30 patents for innovation
- Global presence
- Two ISO 9001/9002/14001 Certified Facilities

## Performance at Exceptional Value

The XT3815 is a cost-effective workhorse, ideal for environments where cost is a factor, but performance cannot be compromised either. Backed by field-tested reliability, the spill and dust resistant XT3815 inherits the long legacy of quality that only Posiflex can deliver.

The XT3815 base conveniently folds and configures to an optimal angle and space for various types of environments. The low-profile design fits in the tightest of spaces, reducing shipping costs up to 40%. With this sleekly designed exterior comes the Intel® Celeron™ 2.0GHz power to run many applications for hospitality, retail, health care and more.

The XT3815 features an Intel® Celeron™ J1900 / 2.0GHz, 2GB standard DDR3L RAM (8 GB maximum) and a 15" projected capacitive touch TFT LCD touch screen terminal. Along with a rich array of connectivity features are options for a mini-PCIe slot for WiFi and VESA wall mount bracket.

## Specifications

## XT3815

Processor	Intel® Celeron™ J1900 / 2.0GHz
System Memory	DDR3L SO-DIMM x 1, max. 8GB, factory default 2GB
Storage Device	320GB HDD SSD Available
Supported OS	POSReady 7 / Windows 7 Professional / Windows Embedded 8.1 Industry
Touch	Projected Capacitive

## Physical Dimensions

Dimensions (WxDxH) in.	14.6" x 12.5" x 9.9"
Display	15" LED-backlit TFT LCD,1024x768
Weight (lbs)	12.3

## Connectivity

LAN Port	1 x Gigabit LAN Port
Serial Port	1 x RJ-50 Serial 3 x DB9 Serial
VGA Port	1 x VGA Port
USB 2.0 Port	6 x (5) on I/O Panel (1) on Power Side
USB 3.0 Port	1 x on I/O Panel
12v Battery port	1 x Proprietary port used with the RB2000
Mini-PCIe slot	1
CR PORT	1 x (Controls 2 Drawers) Dual Independent Sensor COM1/COM5 Select

## Options

SSD
Parallel Port with optional extension cable
WB-5000 wall mount bracket
WiFi

## Peripherals

<b>WB5000</b>	Wall mount bracket
<b>Upgrade Kits</b>	Powered USB Upgrade Kit - (1) 24V USB 2.0 Port plus (3) 12V USB 2.0 Ports with 150W power supply 8-Port USB Hub Kit - (8) port USB hub with 150W power supply
<b>PD2605X00FEP</b>	2X20 VFD rear-mount pole display
<b>PD2605W00FEP</b>	2X20 VFD rear-mount pole display
<b>PD2608UE011</b>	2X20 VFD rear-mount customer display
<b>RB2000</b>	Backup battery
<b>SA105100</b>	3 track encryption capable without finger print reader
<b>SA30520100</b>	3 track encryption capable with finger print reader
<b>LM3010000</b>	9.7" rear-mount secondary display
<b>LM3015000</b>	15" rear-mount secondary display

\*\* The product information and specifications are subject to change without prior notice.

## Available Services

- **Standard and Extended Warranty**  
Extend your depot warranty up to 5 years.
- **Advance Exchange**  
We ship overnight replacement equipment directly to your business. You return the faulty unit to Posiflex.
- **OnSite Service**  
Expert technicians will efficiently handle the complete equipment swap and return process.
- **Regional Repair Depots**  
Three regional depots assure fast turn-around time on repairs.
- **Post Warranty Support**  
Spare parts, in addition to a flat rate repair program, for post warranty needs.
- **Installation Services**  
Let our nationwide network of experts stage and install your equipment.
- **OEM Design and Integration**  
Our Product Development Team helps design equipment, for custom hardware applications.



**POSIFLEX™**

Posiflex Business Machines, Inc.  
30689 Huntwood Ave.  
Hayward, CA 94544  
P: 888-968-1668  
F: 510-475-0982  
sales.department@posiflexusa.com  
www.posiflexusa.com

Posiflex designs, engineers and manufactures:

**Touch Screen Terminals** | **Printers** | **Magnetic Stripe Readers** | **Cash Drawers** | **Rear/Pole Displays**



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

