

Two-Track Secure Credit Card Reader for Mobile Devices

# **Card Swiping on your Mobile Device**

The ID TECH UniMag II is a magnetic stripe reader that communicates with mobile devices via the headphone jack. Use your mobile device to read a variety of magnetic stripes, including credit cards, signature debit cards, gift cards, and loyalty cards.

## **Superior MagStripe Reading Performance**

The UniMag II utilizes ID TECH's proven MagStripe reading technology, providing bi-directional card reading of up to two tracks of information. When reading card data the UniMag II encrypts the information before it enters the mobile device, providing protection of sensitive data.

# **Incredible Convenience and Cost Savings**

The ID TECH UniMag II allows merchants to provide their customers with another acceptable method of payment, and with the capability to swipe credit cards, merchants can save money by avoiding costly card-not-present fees. With the ID TECH UniMag II, merchants can accept credit card payments wherever they go.

## **Features and Benefits:**

- Plugs into audio headphone jack no cables or batteries
- Supports TDES and AES encryption using DUKPT Key Management
- Reads up to two tracks of card data
- Superior MagStripe reading performance
- Bi-directional card reading
- Low battery consumption of mobile devices
- No external power supply required
- Bi-directional communication between reader and mobile device
- Extended phone jack enables compatibility with various phone cases
- Universal clip allows for stabilization to provide better card reading
- SDK available for Apple, Android, and Blackberry platforms





# **UniMag™ //** Specifications ID-80110008-001

**Electrical** 

Interfaces: Audio headphone jack

**Environmental** 

0°C to 55°C (32°F to 131°F) non-condensing Operating Temperature: Storage Temperature: -30°C to 70°C (-22°F to 158°F) non-condensing Humidity: Maximum 95% non-condensing, dry storage

**Reliability** 

Operating Life: 50,000 cycles minimum One year, parts and labor Warranty:

Mechanical

Media Thickness: 0.025 inches (0.635mm)to 0.035 inches (0.889mm)

Media Formats: ISO 7811 and AAMVA

Swipe Speed: 5 to 60 inches per second, bi-directional

1.18 inches (30mm) x 0.43 inches (11mm) x 1.77 inches (45mm) Dimensions(L)x(W)x(H):

Weight: 0.512 oz.

Please visit www.idtechproducts.com for the most up-to-date lists of hardware and software compatibility.



## Value through Innovation **Corporate Headquarters:**

10721 Walker Street, Cypress, California 90630 www.idtechproducts.com (714) 761-6368 sales@idtechproducts.com

#### International Sales Office Canada & South America:

+450 465 5261 (Canada) robertop@idtechproducts.com

## **European Sales Offices:**

+49(0) 8851 6159900 (Germany) emea@idtechproducts.com

ISO 9001 Certified





www.L-TronDirect.com 800-830-9523 info@L-Tron.com

